



A-Shape LED

13.5A19/LED/950/FR/P/E26/ND 4/2CT

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General information	
Cap-Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	11000 h
Switching Cycle	50000X
Technical Type	LEDTECH-LOV

Light technical	
Color Code	950 [CCT of 5000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	1500 lm
Color Designation	Daylight
Correlated Color Temperature (Nom)	5000 K
Luminous Efficacy (rated) (Nom)	111.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	0.7 %

Operating and electrical	
Input Frequency	60 Hz
Power (Nom)	13.5 W
Lamp Current (Nom)	223 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	95 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A19 (A19)


Approval and application	
Energy Certifications	No

Product data	
Order product name	13.5A19/LED/950/FR/P/E26/ND 4/2CT
EAN/UPC - Product	50046677565515
Order code	929003005603
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929003005603

A-Shape LED

Net Weight (Piece) 0.050 kg



Dimensional drawing



13.5A19/LED/950/FR/P/E26/ND 4/2CT

Product	D	C
13.5A19/LED/950/FR/P/E26/ND 4/2CT	60 mm	117 mm


Photometric data



General Parameters V1 Photometry V1 Page 17

LEDbulb G6 13,5W A19 E26 950 FR-POC


LEDbulb G6 13,5W A19 E26 950 FR-GUL



LEDbulb G6 A19 13,5W E26 950 FR-LDD

A-Shape LED

Lifetime



10K

10K

