



# A-Shape LED

## 12.2A19/LED/930/FR/P/E26/ND/T20 6/1FB

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


### Product data

General information		Power Factor (Nom)	
Cap-Base	E26 [ Single Contact Medium Screw]		0.7
EU RoHS compliant	Yes	Voltage (Nom)	120 V
Nominal Lifetime (Nom)	11000 h	<b>Temperature</b>	
Switching Cycle	50000X	T-Case Maximum (Nom)	85 °C
<b>Light technical</b>		<b>Controls and dimming</b>	
Color Code	930 [ CCT of 3000K]	Dimmable	No
Beam Angle (Nom)	250 °	<b>Mechanical and housing</b>	
Luminous Flux (Nom)	1100 lm	Bulb Finish	Frosted
Color Designation	White (WH)	Bulb Material	Plastic
Correlated Color Temperature (Nom)	3000 K	Bulb Shape	A19 (A19)
Luminous Efficacy (rated) (Nom)	90.00 lm/W	<b>Approval and application</b>	
Color Consistency	<4	Energy Certifications	No
Color Rendering Index (Nom)	90	<b>Product data</b>	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order product name	12.2A19/LED/930/FR/P/E26/ND/T20 6/1FB
<b>Operating and electrical</b>		EAN/UPC - Product	046677571658
Input Frequency	60 Hz	Order code	929003020604
Power (Nom)	12.2 W	Numerator - Quantity Per Pack	1
Lamp Current (Nom)	98 mA	Numerator - Packs per outer box	6
Wattage Equivalent	75 W	Material Nr. (12NC)	929003020604
Starting Time (Nom)	0.5 s		
Warm Up Time to 60% Light (Nom)	0.5 s		

# A-Shape LED

Net Weight (Piece) 0.055 kg



## Dimensional drawing



12.2A19/LED/930/FR/P/E26/ND/T20 6/1FB


Product	D	C
12.2A19/LED/930/FR/P/E26/ND/T20 6/1FB	60 mm	117 mm

## Photometric data



LEDbulb T20 12,2W A19 E26 930 FR 1-GUL



LEDbulb T20 A19 12,2W E26 930 FR-LDD



LEDbulb T20 12,2W A19 E26 930 FR-POC

# A-Shape LED

## Lifetime



10K

10K

