



A-Shape LED

16.6A19/LED/930/FR/P/E26/ND/T20 6/1FB

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


Product data

General information		Power Factor (Nom)	
Cap-Base	E26 [Single Contact Medium Screw]		0.7
EU RoHS compliant	Yes	Voltage (Nom)	120 V
Nominal Lifetime (Nom)	11000 h	Temperature	
Switching Cycle	50000X	T-Case Maximum (Nom)	90 °C
Light technical		Controls and dimming	
Color Code	930 [CCT of 3000K]	Dimmable	No
Beam Angle (Nom)	250 °	Mechanical and housing	
Luminous Flux (Nom)	1500 lm	Bulb Finish	Frosted
Color Designation	White (WH)	Bulb Material	Plastic
Correlated Color Temperature (Nom)	3000 K	Bulb Shape	A19 (A19)
Luminous Efficacy (rated) (Nom)	90.00 lm/W	Approval and application	
Color Consistency	<4	Energy Certifications	No
Color Rendering Index (Nom)	90	Product data	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order product name	16.6A19/LED/930/FR/P/E26/ND/T20 6/1FB
Operating and electrical		EAN/UPC - Product	046677571689
Input Frequency	60 Hz	Order code	929003020904
Power (Nom)	16.6 W	Numerator - Quantity Per Pack	1
Lamp Current (Nom)	118 mA	Numerator - Packs per outer box	6
Wattage Equivalent	100 W	Material Nr. (12NC)	929003020904
Starting Time (Nom)	0.5 s		
Warm Up Time to 60% Light (Nom)	0.5 s		

A-Shape LED

Net Weight (Piece) 0.055 kg



Dimensional drawing



16.6A19/LED/930/FR/P/E26/ND/T20 6/1FB

Product	D	C
16.6A19/LED/930/FR/P/E26/ND/T20 6/1FB	60 mm	117 mm


Photometric data



General Information LEDbulb
1 - LEDbulb 16,6W A19 E26 FR-POC
Page 17

LEDbulb T20 16,6W A19 E26 930 FR-POC


LEDbulb T20 16,6W A19 E26 930 FR 1-GUL



LEDbulb T20 A19 16,6W E26 930 FR-LDD

A-Shape LED

Lifetime



10K

10K

