



MASTER Value Glass LED bulbs



MASTER VLE LEDBulbD11.2-100W E27 927 A60CLG

Featuring a classic heritage design, these filament LED bulbs combine the familiar shapes of incandescent bulbs with the benefits of long-lasting LED technology. These MASTER Value Glass LED bulbs offer more energy savings than normal glass LED bulbs. At the same time, they also provide customers with good light experience, enhanced by excellent dimming performance (dimmable glass LED bulbs). MASTER Value Glass LED Bulbs deliver significant energy savings, using 30% less energy compared to normal LED bulbs and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED bulbs also reduce maintenance costs.

Product data

| General information | |
|------------------------------------|---------------------|
| Cap-Base | E27 [E27] |
| EU RoHS compliant | Yes |
| Nominal Lifetime (Nom) | 15000 h |
| Switching Cycle | 20000X |
| Flux measurement reference | Sphere |
| | |
| Light technical | |
| Color Code | 927 [CCT of 2700K] |
| Luminous Flux (Nom) | 1521 lm |
| Color Designation | Warm White (WW) |
| Correlated Color Temperature (Nom) | 2700 K |
| Luminous Efficacy (rated) (Nom) | 135.00 lm/W |
| Color Consistency | <6 |

| Color Rendering Index (Nom) | 90 |
|-------------------------------------|-------------|
| LLMF At End Of Nominal Lifetime (No | m) 70 % |
| | |
| Operating and electrical | |
| Input Frequency | 50 to 60 Hz |
| Power (Nom) | 11.2 W |
| Lamp Current (Nom) | 51 mA |
| Wattage Equivalent | 100 W |
| Starting Time (Nom) | 0.5 s |
| Warm Up Time to 60% Light (Nom) | 0.5 s |
| Power Factor (Nom) | 0.7 |
| Voltage (Nom) | 220-240 V |
| | |
| | |


Datasheet, 2021, November 22 data subject to change

MASTER Value Glass LED bulbs

| Temperature | |
|-------------------------------|----------------------------|
| T-Case Maximum (Nom) | 80 ℃ |
| | |
| Controls and dimming | |
| Dimmable | Only with specific dimmers |
| | |
| Mechanical and housing | |
| Bulb Finish | Clear |
| Bulb Shape | A60 [A 60mm] |
| | |
| Approval and application | |
| Energy Efficiency Class | D |
| Energy Consumption kWh/1000 h | 12 kWh |
| EPREL Registration Number | 574365 |
| | |

| 871951434792200 MASTER VLE LEDBulbD11.2-100W E27 927 A60CLG |
|---|
| |
| A60CLG |
| |
| 8719514347922 |
| 929003058302 |
| 1 |
| 10 |
| 929003058302 |
| 0.030 kg |
| |


Dimensional drawing




MASTER VLE LEDBulbD11.2-100W E27 927 A60CLG

Product D C MASTER VLE LEDBulbD11.2-100W E27 927 A60CLG 60 mm 108 mm

Photometric data



LEDbulb MAS A60 11,2W E27 927 CL-LDD




Gloulul Processorics 45 Philips Lighting B.V. Page: 111

LEDbulb MAS 11,2W A60 E27 927 CL-GUL


MASTER Value Glass LED bulbs


Photometric data



LEDbulb MAS 11,2W A60 E27 927 CL-POC

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.