



Aluline 20W 12V R37 32D FR 1CT

Product family description

Low- voltage halogen burner in a lightweight, high- gloss anodised aluminium reflector giving a white halogen light

Product Features

- Integrated protective front glass
- Choice of clear or frosted glass
- High- intensity beam with an extremely clearly defined beam spread (clear glass versions only)
- Excellent colour rendering

Product Benefits

- Excellent accent lighting effects due to reduced

spill light (clear versions only)


Application

- Excellent light source for accent and general lighting in shops, home, restaurants, galleries, exhibitions and museums


Product data

Order code	409355 60
Full product code	871150040935560
Full product name	Aluline 20W 12V R37 32D FR 1CT
Order product name	Aluline 20W 12V R37 32D FR 1CT/10X5F
Packing type	1 Lamp in a Folding Carton
Pieces per pack	1
Packing configuration	10X5F
Packs per outerbox	50
Bar code on pack - EAN1	8711500409355
Bar code on intermediate packing - EAN2	8711500421968
Bar code on outerbox - EAN3	8711500421975
Logistic code(s) - 12NC	9240 015 17104 9240 015 171239240 015 17124 9240 015 17139
ILCOS code	HMGI/F- 20- 12- B15d- 37/32
Net weight per piece	0.019 (KG)
Successor order code	
Rated Lamp Wattage[W]	20W
Voltage[V]	12V
Bulb	R37 [R 37mm]
Beam Angle[D]	32D
Bulb Finish	FR [Frosted]
Philips Code	6435/FR
ANSI Code Halogen	GBF


Product data	
Cap- Base	BA15d
Cap- Base Information	19
Burning Position	any[Any/Universal]
Luminous Intensity[cd]	350
Colour Rendering Index[Ra8]	100
Colour Temperature[K]	3000




Aluline 20W 32D



Aluline 20W 32D



Aluline 20W 32D



Aluline 37mm

	C	D
Full product name	Max	Max
Aluline 20W 12V R37 32D FR 1CT	41	38

