

Aquastar T5

FHO24W/Aquastar

0002741



- Features
- Light colour: 10000 Kelvin (simulating the tropical light spectrum)
- Promotes the growth of coral and aquatic plants through natural red and blue sections of the light spectrum
- Excellent lighting performance
- T5 - FHO: high output and lumen per watt in comparison to T8 versions
- New T5 I8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium
- Applications
- For all biological organisms in fresh and marine water aquariums
- Excellent results in combination with Daylightstar

PRODUCT OVERVIEW

Ordering number	0002741
EAN code	5410288027418
Bulb shape	Tubular
Nominal average life (h)	20000
Cap/Base	G5
Bulb finish	Coated
Lamp Diameter (mm) - D	T5
Luminous flux (lm)	950
Voltage (V)	75
Watt (W)	24
Type	AquaStar
Lamp Length (mm) - C	563.2
Colour temperature (K)	10000

Aquastar T5

FHO24W/Aquastar

0002741

DATA TABLE

General data

Ordering number	0002741
Nominal average life (h)	20000
Ballast required	Yes
Bulb finish	Coated
Bulb shape	Tubular
EAN code	5410288027418
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
IEC Reference 3	
Cap/Base	G5
Lamp mercury content (mg)	10
Type	AquaStar
Special purpose lamp	Yes
Transformer required	No
Unit case	25
Product name	FHO24W/Aquastar
Long description	Features Light colour: 10000 Kelvin (simulating the tropical light spectrum) Promotes the growth of coral and aquatic plants through natural red and blue sections of the light spectrum Excellent lighting performance T5 - FHO: high output and lumen per watt in comparison to T8 versions New T5 I8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium Applications For all biological organisms in fresh and marine water aquariums Excellent results in combination with Daylightstar

Optical data

Luminous flux (lm)	950
Nominal luminous flux at 35°C (lm)	1120
Rated luminous flux (lm)	1120
Colour temperature (K)	10000

Electrical data

Current (A)	0.3
Watt (W)	24
Rated watt (W)	24
Voltage (V)	75

Aquastar T5

FHO24W/Aquastar

0002741

Physical data



Packaging outer height (cm)	10
Packaging single height (cm)	1.9
Lamp Diameter (mm) - D	T5
Lamp Length (mm) - C	563.2
Packaging outer length (cm)	58
Packaging single length (cm)	56.4
Length base to base (mm) - A	549
Length base to pin Min-Max - B	553.7-556.1
Packaging outer width (cm)	10
Packaging single width (cm)	1.9
Diameter (mm)	T5

Aquastar T5

FHO24W/Aquastar

0002741

PHOTOMETRY



Aquastar T5

FHO24W/Aquastar

0002741

TECHNICAL DRAWINGS

