

FHO24W/Coralstar

0002742



Range features

- Features
- Reproduces light conditions found at coral reefs through actinic blue light
- Promotes the growth of coral and invertebrates by supporting the growth of zooxanthellae
- See coral in its true colour(s)
- T5 FHO: high output and lumen per watt in comparison to T8 versions
- New 5 l8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium
- Applications
- Lighting to promote growth of coral and invertebrates in marine water aquariums





PRODUCT OVERVIEW

Ordering number	0002742
Lamp shape	Tubular
Lamp finish	Coated
Cap/Base	G5
Туре	CoralStar
EAN code	5410288027425
Useful luminous flux (Rated) (Im)	530
Watt (Nominal) (W)	24
Voltage (V)	75



FHO24W/Coralstar

0002742

DATA TABLE

Ge	nΔ	ral	d	at a
(74	110	11 711	(1)	117

General data	
Ordering number	0002742
Average life (Nominal) (h)	20000
Lamp shape	Tubular
Lamp finish	Coated
Cap/Base	G5
Type	CoralStar
EAN code	5410288027425
Long description	Features. Reproduces light conditions found at coral reefs through actinic blue light. Promotes the growth of coral and invertebrates by supporting the growth of zooxanthellae. See coral in its true colour(s). T5 - FHO: high output and lumen per watt in comparison to T8 versions. New 5 l8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium. Applications. Lighting to promote growth of coral and invertebrates in marine water aquariums
Product name	FHO24W/Coralstar
Lamp mercury content (mg)	3.2
Control gear required	Yes
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	25
Optical data	
Useful luminous flux (Rated) (Im)	530
Electrical data	
Watt (Rated) (W)	24
Watt (Nominal) (W)	24
Voltage (V)	75
Current (A)	0.3



FHO24W/Coralstar

0002742

Physical data


Length base to base (mm) - A	549
Length base to pin Min-Max - B	553.7-556.1
Lamp Length (mm) - C/L	563.2
Lamp Diameter (mm) - D	16
Packaging outer width (cm)	10
Packaging outer length (cm)	58
Packaging outer height (cm)	10
Packaging single width (cm)	1.9
Packaging single height (cm)	1.9
Packaging single length (cm)	56.4




FHO24W/Coralstar

0002742

PHOTOMETRY





TECHNICAL DRAWINGS

