

FHO54W/Coralstar

0002748



Range features

- Features
- Reproduces light conditions found at coral reefs through actinic blue light
- Promotes the growth of coral and invertebrates by supporting the growth of zooxanthellae
- See coral in its true colour(s)
- T5 FHO: high output and lumen per watt in comparison to T8 versions
- New 5 l8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium
- Applications
- Lighting to promote growth of coral and invertebrates in marine water aquariums





PRODUCT OVERVIEW

Ordering number	0002748
Lamp shape	Tubular
Lamp finish	Coated
Cap/Base	G5
Туре	CoralStar
EAN code	5410288027487
Useful luminous flux (Rated) (lm)	1400
Watt (Nominal) (W)	54
Voltage (V)	118



FHO54W/Coralstar

0002748

DATA TABLE

\sim		al d	4	_
(Je	ner	าลเ ต	າລາ	а

General data	
Ordering number	0002748
Average life (Nominal) (h)	20000
Lamp shape	Tubular
Lamp finish	Coated
Cap/Base	G5
Туре	CoralStar
EAN code	5410288027487
Long description	Features. Reproduces light conditions found at coral reefs through actinic blue light. Promotes the growth of coral and invertebrates by supporting the growth of zooxanthellae. See coral in its true colour(s). T5 - FHO: high output and lumen per watt in comparison to T8 versions. New 5 l8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium. Applications. Lighting to promote growth of coral and invertebrates in marine water aquariums
Product name	FHO54W/Coralstar
Lamp mercury content (mg)	3.2
Control gear required	Yes
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Special purpose lamp	Yes
Transformerrequired	No
Sales pack quantity	25
Optical data	
Useful luminous flux (Rated) (Im)	1400
Electrical data	
Watt (Rated) (W)	54
Watt (Nominal) (W)	54

118

0.46

Voltage (V)

Current (A)



FHO54W/Coralstar

0002748

Physical data


Length base to base (mm) - A	1149
Length base to pin Min-Max - B	1153.7-1156.1
Lamp Length (mm) - C/L	1163.2
Lamp Diameter (mm) - D	16
Packaging outer width (cm)	10
Packaging outer length (cm)	118
Packaging outer height (cm)	10
Packaging single width (cm)	1.9
Packaging single height (cm)	1.9
Packaging single length (cm)	116.4



FHO54W/Coralstar

0002748

PHOTOMETRY



TECHNICAL DRAWINGS

