

# Duracell

**Batteries**  
**Rechargeables**  
**Chargers**  
**Flashlights**



[www.vabo.com](http://www.vabo.com)

**VABO NV**  
**IZ ZOLDER-LUMMEN 2109**  
**Boterbosstraat 20**  
**B-3550 HEUSDEN-ZOLDER**

**Tel ++32 (0) 13 350 550**  
**Fax ++32 (0)13 350 559**  
**[info@vabo.be](mailto:info@vabo.be)**

# DURACELL CONSUMER

## SIMPLY



	11051	11048
colorcode	MN2400-AAA SIMPLY	MN1500-AA SIMPLY
Diameter	10,5	14,5
Height	44,5	50,5
IEC	LR03	LR6
VOLT	1,5	1,5
CHEM.SYSTEM	Alkaline	Alkaline
Batt./Blister	4	4
Blister/Carton	10	20
Batt./Carton	40	80

## PLUSPOWER

### DURALOCK



	10606	10601	10602	10603	10604	10605
colorcode	MN2400-AAA PLUS POWER	MN1500-AA PLUS POWER	MN1400-C PLUS POWER	MN1300-D PLUS POWER	MN1604-9V PLUS POWER	MN1203-4.5V PLUS POWER
Diameter	10,5	14,5	26,2	34,2	17.5 x 26.5	61.4 x 21.5
Height	44,5	50,5	50	61,5	48,5	64,5
IEC	LR03	LR6	LR14	LR20	6LR61	3LR12
VOLT	1,5	1,5	1,5	1,5	9,0	4,5
CHEM.SYSTEM	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Batt./Blister	4	4	2	2	1	1
Blister/Carton	10	20	10	10	10	10
Batt./Carton	40	80	20	20	10	10

## ULTRA POWER

### DURALOCK



	11097	11096	11098	11099	11100	62551
colorcode	MX2400-AAA ULTRA- POWER	MX1500-AA ULTRA- POWER	MX1400-C ULTRA- POWER	MX1300-D ULTRA- POWER	MX1604-9V ULTRA- POWER	MN2500-AAAA ULTRA
Diameter	10,5	14,5	26,2	34,2	17.5 x 26.5	8,3
Height	44,5	50,5	50	61,5	48,5	42
IEC	LR03	LR6	LR14	LR20	6LR61	LR61
VOLT	1,5	1,5	1,5	1,5	9,0	1,5
CHEM.SYSTEM	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Batt./Blister	4	4	2	2	1	2
Blister/Carton	10	20	10	10	10	10
Batt./Carton	40	80	20	20	10	20

## LITHIUM



	10967
colorcode	LF1500-AA LITHIUM
Diameter	14,5
Height	50,5
IEC	LR6
VOLT	1,5
CHEM.SYSTEM	lithium
EXPIRY DATE	15 years
Batt./Blister	4
Blister/Carton	10
Batt./Carton	40



All data is subject to change.

Visit us at [www.vabo.com](http://www.vabo.com) for more information

# DURACELL SPECIALTY



## ELECTRONICS




TYPE	Diameter	Height	Volt	Chem.System	Code	Packaging
LR 43	11,6	4,2	1,5	Alkaline	186	2/20/200
LR 44	11,6	5,4	1,5	Alkaline	157	2/20/200
LR 54	11,6	3,0	1,5	Alkaline	189	2/20/200



## HEARING AID



TYPE / COLORCODE	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
DA10	5,8	3,6	1,4	Zinc Air	4 years	6/60
DA312	7,9	3,6	1,4	Zinc Air	4 years	6/60
DA13	7,9	5,4	1,4	Zinc Air	4 years	6/60
DA675	11,6	5,4	1,4	Zinc Air	4 years	6/60



## LITHIUM



TYPE	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
DL1220	12,5	2,0	3,0	Lithium	10 years	1/10/100
DL1616	16,0	1,6	3,0	Lithium	10 years	1/10/100
DL1620	16,0	2,0	3,0	Lithium	10 years	1/10/100
DL2016	20,0	1,6	3,0	Lithium	10 years	1/10/100
DL2025	20,0	2,5	3,0	Lithium	10 years	1/10/100
DL2032	20,0	3,2	3,0	Lithium	10 years	1/10/100
DL2430	24,0	3,0	3,0	Lithium	10 years	1/10/100
DL2450	24,0	5,0	3,0	Lithium	10 years	1/10/100



## PHOTO



TYPE	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
DL123 BL1	16,6	34,5	3,0	Lithium	10 years	1/10/100
DL223	35 X 19,6	36,0	3,0	Lithium	10 years	1/10/100
DL245	34 X 17	45,0	3,0	Lithium	10 years	1/10/100
CR2 BL1	15,6	26,7	3,0	Lithium	10 years	1/10/100
CRV3	28.4 X 14.6	52,0	7,4	Lithium	10 years	1/10/100
DL 1/3N	11,6	10,0	3,0	Lithium	10 years	1/10/100
PX28L	13,0	25,2	6,0	Lithium	10 years	1/10/100

### MULTIPACK

TYPE	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
DL123 BL2	16,6	34,5	3,0	Lithium	10 years	2/20/200
CR2 BL2	15,6	26,7	3,0	Lithium	10 years	2/20/200

All data is subject to change. Performance information is typical.  
All other models available on request.

# DURACELL SPECIALTY

## SECURITY



TYPE	Diameter	Height	Volt	Chem.System	IEC	Packaging
MN11	10,2	16,5	6	Alkaline		1/10/100
MN21	10,3	28,5	12	Alkaline	3LR50	2/20/200
MN27	7,7	28,2	12	Alkaline		1/10/100
MN9100 – N	12	30,2	1,5	Alkaline	LR01 – N	2/20/200
MN2500 – AAAA	8,3	42	1,5	Alkaline	LR61	2/20/200
7K67 – J	48,3x9,2	35,6	6,0	Alkaline	4LR61	1/10/100
625A	15,6	5,9	1,5	Alkaline	LR9	1/10/100

## WATCH



TYPE	Diameter	Height	Volt	Chem.System	IEC	Packaging
D357/303	11,6	5,4	1,5	Silver Oxyde	SR44	2/20/200
D362/361	7,9	2,1	1,5	Silver Oxyde	SR58	1/10/100
D364	6,8	2,1	1,5	Silver Oxyde	SR60	1/10/100
D371/370	9,5	2,1	1,5	Silver Oxyde	SR69	1/10/100
D386/301	11,6	4,2	1,5	Silver Oxyde	SR43	1/10/100
D389/390	11,6	4,2	1,5	Silver Oxyde	SR54	1/10/100
D392/384	7,6	3,6	1,5	Silver Oxyde	SR41	1/10/100
D394	9,5	3,6	1,5	Silver Oxyde	SR54	1/10/100

All data is subject to change. Performance information is typical.  
All other models available on request.



# DURACELL FLASHLIGHT

Based on:  
AAA



Art 11509  
PEN-1  
2AAA LED



Art 11508  
KEY-1 LED  
1AAA 6 Lumen  
27mtr



Art 11505  
CMP-1 6xLED  
3AAA 37 Lumen  
10mtr



Art 11506  
CMP-3 9xLED  
3AAA 44 Lumen  
12mtr



Art 11507  
CMP-5 14xLED  
3AAA 63 Lumen  
18mtr

Based on:  
AA



Art 11501  
SLD-1 LED  
2AA 131 Lumen  
120mtr



Art 11503  
FCS-1 LED  
2AA 127 Lumen  
117mtr



Art 11499  
CL-1 LED  
2AA 22 Lumen  
40mtr



Art 11497  
STL-3 3xLED  
2AA 20 Lumen  
25mtr



Art 11498  
STL-5 5xLED  
3AA 30 Lumen  
30mtr

Based on:  
D



Art 11502  
SLD-100 LED  
2D 145 Lumen  
177mtr



Art 11504  
FCS-100 LED  
2D 160 Lumen  
209mtr



Art 11500  
CL-10 5xLED  
2D 20 Lumen  
20mtr



All data is subject to change.

Visit us at [www.vabo.com](http://www.vabo.com) for more information

Based on:  
4,5V



Art 68454  
COMPACT-45  
Krypton bulb  
1 x 3R12 4,5V

Based on:  
AA



Art 69555  
MINI  
Krypton bulb  
2AA



Holster

Art 11265  
Holster D

Art 11339  
Holster 2AA

Art 11266  
Holster 3AAA

# DURACELL CHARGERS



4 HRS

11448  
11449



3 HRS

11451



45 MIN

11452



15 MIN

11450



USB 3H

11292



USB 5H

11293



> 3 HRS

10734



ART	TYPE	Description	Recharges	Speed	V	Batteries
11449	CEF 14 / AA	Simply	AA/AAA	>4 hours	220V	excl batteries
11448	CEF 14 / AA	Simply	AA/AAA	>4 hours	220V	2 AA 1300 incl
11451	CEF 23 / AA	Mobile Charger	AA/AAA	>3 hours	220V/USB	excl batteries
11452	CEF 27	Speedy Charger	AA/AAA	>45 min.	220V	2 AA 1300 & 2 AAA 750 incl
11450	CEF 15 / AA	15 Min. Charger	AA/AAA 8 x AA/AAA 4 x C/D	>15 min.	220V	4 AA 1300 incl
10734	CEF22 MULTI	Multi Charger	1 x 9V	3 > 8 hrs	220V	None

PORTABLE USB DEVICE CHARGER		Capacity	comptability		
11292	PPS2	3 Hr backup power 1150 mAh	Usb + mini & micro	Usb – mini adapter	
11293	PPS0	5 Hr backup power 1800 mAh	Usb + mini & micro	Usb – mini adapter	wall plug 110>220v



All data is subject to change. Performance information is typical.  
All other models available on request.

# DURACELL RECHARGEABLE



## PRECHARGED

### DURALOCK

Duracell Stays Charged is a pre-charged rechargeable batterie, low self-discharge and already charged



PRODUCT/ART	10669	10668	11453	10671	10670	11454
Type/Colorcode	DX1500-AA HR6 BL/2	DX1500-AA HR6 BL/4	HR06-AA BL/4	DX2400-AAA BL/2	DX2400-AAA BL/4	HR03- AAA BL/4
Diameter	14,5	14,5	14,5	10,0	10,0	10,0
Height	50,5	50,5	50,5	40,0	40,0	40,0
IEC	AA	AA	AA	AAA	AAA	AAA
VOLT	1,2	1,2	1,2	1,2	1,2	1,2
CAPACITY	2400	2400	1300	800	800	750
CHEM.SYSTEM	Nimh	Nimh	Nimh	Nimh	Nimh	Nimh
Batt./Blister	2	4	4	2	4	4
Blister/Carton	10	10	20	10	10	10
Batt./Carton	20	40	80	20	40	40

## STANDARD CHARGE

Standard rechargeable batteries



	32657	32659	32660
TYPE/colorcode	HR14-C BL/2	HR20-D BL/2	HR9V BL/1
Diameter	25,0	33,0	10,0
Height	50,0	60,0	40,0
IEC	C	D	9V
VOLT	1,2	1,2	8,4
CAPACITY	2200	2200	170
CHEM.SYSTEM	Nimh	Nimh	Nimh
Batt./Blister	2	2	1
Blister/Carton	10	10	10
Batt./Carton	20	20	10

All data is subject to change. Performance information is typical.  
All other models available on request.



# DURACELL INDUSTRIAL



## DURACELL INDUSTRIAL

Art nr	10684	10680	10681	10682	10683	10685
TYPE/colorcode	PC2400-AAA	PC1500-AA	PC1400-C	PC1300-D	PC1604-9V	PC1203-4.5V
Diameter	10,5	14,5	26,2	34,2	17,5 x 26,5	61,4 x 21,5
Height	44,5	50,5	50	61,5	48,5	64,5
IEC	LR03	LR6	LR14	LR20	6LR61	3LR12
VOLT	1,5	1,5	1,5	1,5	9,0	4,5
CHEM.SYSTEM	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
EXPIRY DATE	7 years	7 years	7 years	7 years	5 years	5 years

### PACKAGING

#### Innerpack

Batt./Innerpack (IP)	10	10	10	10	10	10
----------------------	----	----	----	----	----	----

#### Carton

Batt./Carton	100 (10 IP)	100 (10 IP)	50 (5 IP)	50 (5 IP)	50 (5 IP)	50 (5 IP)
--------------	-------------	-------------	-----------	-----------	-----------	-----------


## PRISMATIC

Art nr	10485	10483
TYPE	MN 908	MN918
TERMINATION	COIL SPRING	SCREWS
Dimensions L x W	67.7 x 67.7	136.3 X 72.8
Height	110,49	125,4
IEC	4LR25	4LR25-2
VOLT	6,0	6,0
CHEM.SYSTEM	Alkaline	Alkaline

### PACKAGING

#### Carton

Batt./Carton	6	6
--------------	---	---



www.vabo.com

All data is subject to change. Performance information is typical.  
All other models available on request.

### VABO NV

IZ ZOLDER-LUMMEN 2109

Boterbosstraat 20

B-3550 HEUSDEN-ZOLDER

Tel ++32 (0) 13 350 550

Fax ++32 (0)13 350 559

[info@vabo.be](mailto:info@vabo.be)