

INDUSTRIAL by DURACELL

Professional batteries made by Duracell

New
07 -2014



VABO[®]
www.vabo.com

VABO NV Boterbosstraat 20
B3550 Heusden-Zolder
tel ++32(0)13-350.550
fax ++32(0)13-350.559
info@vabo.be

INDUSTRIAL DURACELL BATTERIES

Distributed by



Duracell Industrial, alkaline batteries :

Designed for Professionals
Performance guaranteed
Replaces Duracell-Procell

- environmentally friendly
- meets all EEC regulations.
- offers high quality
- reliable batteries
- manufactured using the latest technology to ensure peak performance.
- expiry dates are indicated on each battery
- color-coding to make battery selection easier



Small Box Packaging



PRODUCT	Industrial by Duracell					
TYPE	AA – LR 6	AAA – LR03	C – LR14	D – LR20	9V – 6LR61	4,5V – 3LR12
VABO REF	11734	11735	11736	11737	11738	11739
REF + COLORCODE	ID1500	ID2400	ID1400	ID1300	ID1604	ID1203
Diameter	14,5	10,5	26,2	34,2	17.5 x 26.5	61.4 x 21.5
Height	50,5	44,5	50	61,5	48,5	64,5
IEC	LR6	LR03	LR14	LR20	6LR61	3LR12
VOLT	1,5	1,5	1,5	1,5	9,0	4,5
CHEM.SYSTEM	Alcaline	Alcaline	Alcaline	Alcaline	Alcaline	Alcaline

PACKAGING						
Innerpack						
Batt./Innerpack (IP)	10	10	10	10	10	10
Carton						
Batt./Carton	100 (10 IP)	100 (10IP)	50 (5 IP)	50 (5 IP)	50 (5 IP)	50 (5 IP)
Carton/Pallet	385	522	220	98	290	90
Batt./Pallet	38500	52200	11000	4900	14500	4500

07-2014 : Industrial by Duracell replaces Duracell Procell



INDUSTRIAL DURACELL BATTERIES



Distributed by

Duracell Industrial, alkaline batteries :

Designed for Professionals
Performance guaranteed
Replaces Duracell-Procell



Bulk packaging



PRODUCT	Industrial by Duracell- Bulk					
TYPE	AA – LR 6 bulk	AAA – LR03 bulk	C – LR14 bulk	D – LR20 bulk	9V – 6LR61 bulk	4,5V – 3LR12 bulk
Diameter	14,5	10,5	26,2	34,2	17.5 x 26.5	61.4 x 21.5
Height	50,5	44,5	50	61,5	48,5	64,5
IEC	LR6	LR03	LR14	LR20	6LR61	3LR12
VOLT	1,5	1,5	1,5	1,5	9,0	4,5
CHEM.SYSTEM	Alcaline	Alcaline	Alcaline	Alcaline	Alcaline	Alcaline
PACKAGING						
Innerpack						
Batt./Carton	500	500	204	100	210	96
Carton/Pallet	72	165	48	48	63	40
Batt./Pallet	36000	82500	9792	4800	13230	3840

07-2014 : Industrial by Duracell replaces Duracell Procell

INDUSTRIAL DURACELL BATTERIES

LANTERN BATTERIES

DURACELL- alkaline lantern batteries provide :

- extra measure of leakage resistance
- long shelf life
- Reliable performance at various temperature ranges
- Date coding to ensure freshness



Coil springs Screw terminals

PRODUCT	10485	10483
TYPE	MN908	MN918
TERMINATION	COIL SPRING	SCREWS
Dimensions L x W	67.7 x 67.7	136.3 X 72.8
Height	110,49	125,4
IEC	4LR25	4LR25-2
VOLT	6,0	6,0
CHEM.SYSTEM	Alkaline	Alkaline

PACKAGING


Carton		
Batt./Carton	6	6

Technical datasheet available on request

DURACELL®


SIZE PC908

Alkaline Manganese Dioxide Battery



SPECIFICATIONS

Minimum No Load Voltage:	6 V
Minimum On Load Voltage:	5.4V on 12C100 at 20°C
Minimum Life:	38.0 - 15 Cycles at Day 3.2 V
Rated Capacity:	13200 mAh at 150 mA to 3.2V
Volume:	487 cm ³
Weight:	612g
Physical Size in mm	
Height/Length	Max: 110 Min: 107
Width/Terminal	Max: 67.7 Min: 65.3
Depth	Max: 86.7 Min: 85.1




DURACELL® Batteries

Issue 9K



VABO NV Boterbosstraat 20
B3550 Heusden-Zolder
tel ++32(0)13-350.550 fax ++32(0)13-350.559
info@vabo.be



All brandnames, information and trademarks are the property of their respective owners and is subject to change without prior notice