

Grolux T8/Minilyn

F30W/GRO

0000150



- Features
- High level of blue and red radiation helps promote healthy plant growth
- Strengthens the natural colours of aquatic plants and fish in aquariums
- Promotes the process of photo-synthesis in plants
- Oldest, but most optimal light colour for plants and aquaria
- Applications
- For lighting of fresh water aquariums
- Complete or additional artificial lighting of plants
- Recommended for use in greenhouses, indoor gardens, flower shows and conservatories

PRODUCT OVERVIEW

Ordering number	0000150
Bulb shape	25000
Bulb finish	Coated
Nominal average life (h)	10000
EAN code	5410288001500
Cap/Base	G13
Watt (W)	30
Type	GroLux
Lamp Length (mm) - C	908.8
Lamp Diameter (mm) - D	T8
Colour	Gro-Lux

Grolux T8/Minilyn

F30W/GRO

0000150

DATA TABLE

General data

Ordering number	0000150
Nominal average life (h)	10000
Ballast required	Yes
Bulb finish	Coated
Bulb shape	25000
EAN code	5410288001500
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
IEC Reference 3	
Cap/Base	G13
Lamp mercury content (mg)	10
Type	GroLux
Special purpose lamp	Yes
Transformer required	No
Unit case	25
Product name	F30W/GRO
Long description	Features High level of blue and red radiation helps promote healthy plant growth Strengthens the natural colours of aquatic plants and fish in aquariums Promotes the process of photo-synthesis in plants Oldest, but most optimal light colour for plants and aquaria Applications For lighting of fresh water aquariums Complete or additional artificial lighting of plants Recommended for use in greenhouses, indoor gardens, flower shows and conservatories

Electrical data

Current (A)	0.37
Watt (W)	30
Rated watt (W)	5


Grolux T8/Minilyn

F30W/GRO

0000150

Physical data

Packaging outer height (cm)	15
Packaging single height (cm)	3
Lamp Diameter (mm) - D	T8
Lamp Length (mm) - C	908.8
Packaging outer length (cm)	94
Packaging single length (cm)	90.9
Length base to base (mm) - A	894.4
Length base to pin Min-Max - B	899.3-901.7
Packaging outer width (cm)	16
Packaging single width (cm)	3.2
Colour	Gro-Lux
Diameter (mm)	T8



CRI (Ra) = 6
Tc = 8500K

Red to Blue ratio = 1.42



Grolux T8/Minilyn

F30W/GRO

0000150

TECHNICAL DRAWINGS

