

Classic Eco R63

CLECO R63 240V 42W 30° E27 SV1

0023123

Product features



PRODUCT OVERVIEW

Lamp finish	Aluminium
Lamp shape	R50 - R80 Reflector
Colour temperature (K)	2800
CRI (Ra)	100
Dimmable	Yes
EAN code	5410288231235
Energy class	D
Equivalent watt (W)	52
Cap/Base	E27
Beam angle(°)	30
Type	Classic Eco R63
Watt (Nominal) (W)	42
Light colour	828 Homelight
Ordering number	0023123
Average life (h) - L70/B50	2000
Luminous flux (Rated) (lm)	270
Technology	Halogen
Voltage (V)	240

DATA TABLE

General data

Average life (h) at Ta 25° C	2000
Control gear required	No

Classic Eco R63

CLECO R63 240V 42W 30° E27 SV1

0023123

Lamp finish	Aluminium
Lamp shape	R50 - R80 Reflector
Dimmable	Yes
EAN code	5410288231235
Energy class	D
Energy saving lamp	No
Fixture rating	Open
General application	Retail; Hospitality; Museums; Consumer; Residential;
IEC Reference	IEC 60357
IEC Reference 2	IEC 60432-2
IEC Reference 3	IEC 60630
Intended purpose	General lighting
Cap/Base	E27
Lamp mercury content (mg)	0
Type	Classic Eco R63
No. of switching cycles before premature failure (min)	> 8000
Ordering number	0023123
Product name	CLECO R63 240V 42W 30° E27 SV1
Average life (h) - L70/B50	2000
Special purpose lamp	No
Starting time (max) (s)	0
Technology	Halogen
Transformer required	no
Sales pack quantity	10
Warm-up time to 60% of full light (max) (s)	Instant Full Light
E-number SE	8355973
E-number FI	4749589
What temperature Life is measured at (°C):	25

Optical data

Colour temperature (K)	2800
CRI (Ra)	100
Beam angle(°)	30
Light colour	828 Homelight
Lumen maintenance at end of nominal life (%)	80
Luminous flux (Nominal) (lm)	270
Peak intensity (cd)	500

Classic Eco R63

CLECO R63 240V 42W 30° E27 SV1

0023123

Luminous flux (Rated) (lm)	270
Suitable for accent lighting	Yes
Beam angle (Rated) (°)	30


Electrical data

Equivalent watt (W)	52
kWh per 1000 hours burning time	42
Lamp power factor	1
Watt (Nominal) (W)	42
Watt (Rated) (W)	42
Voltage (V)	240

Physical data

Max. Lamp Diameter (mm) - D	64
Lamp Length (mm) - C/L	105
Single packaging type	Box/Sleeve
Weight (kg)	0.03
Lamp dimension equal to filament lamp equivalent	Yes
Designed for optimum use in non standard conditions	No
Inner package net weight (kg)	0.33
Inner package dimensions (L x W x H) (cm)	32.00 x 13.50 x 11.70
Outer package dimensions (L x W x H) (cm)	69.10 x 34.20 x 24.50
Single package dimensions (L x W x H) (cm)	6.10 x 6.10 x 10.40

TECHNICAL DRAWINGS



Classic Eco R63

CLECO R63 240V 42W 30° E27 SV1

0023123

