



GE
Lighting



Single Ended Halogen

CP81 FSL 230V

88433

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W

- Range of bases to meet the needs of OEMs -
- Chromised seal protection up to 500° C.



Product data

Cap/Base	GY9.5
Bulb Shape	Tubular
Bulb Diameter [mm]	25
Dimming Capability	Yes
Maximum Overall Length [mm]	90
DUN Code	10043168884331
EAN Code	0043168884334
Net weight per piece [g]	16
Gross weight per piece [g]	30
Brand	General Electric (GE)

Performance data

Nominal power [W]	300
Nominal lamp voltage [V]	230
Nominal lumens [lm]	6900
Colour temperature [K]	3200
Colour Rendering Index (CRI) [Ra]	100
Rated Life [h]	150
Coil type	C-7A
Light Center Length [mm]	46
Ballast Required	No
Energy efficiency class (EEC)	C
Weighted energy consumption [kWh/1000h]	317.74

Logistic data

Pack Quantity	24
Layer quantity	504 EUR, 600 UK
Layer quantity EUR	504
Layer quantity UK	600
Pallet quantity EUR (PC)	4032
Pallet quantity UK (PC)	4800
Outer case size	255 x 175 x 130 (mm)
Product status	Available while stock lasts

Application areas



Film and Broadcast



Theatre

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination