



GE  
Lighting



## Single Ended Halogen

M36 24V 250W GY6,35

# 88516

---

### Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W  
-Range of bases to meet the needs of OEMs -  
Chromised seal protection up to 500° C.

---



## Product data

Cap/Base	GY6.35
Bulb Shape	Tubular
Bulb Diameter [mm]	3
Maximum Overall Length [mm]	62
DUN Code	10043168885161
EAN Code	0043168885164
Net weight per piece [g]	6
Gross weight per piece [g]	10
Brand	General Electric (GE)

## Performance data

Nominal power [W]	300
Nominal lamp voltage [V]	240
Nominal lumens [lm]	5750
Colour temperature [K]	3000
Colour Rendering Index (CRI) [Ra]	100
Rated Life [h]	2000
Coil type	C-6F (C-6 oval)
Light Center Length [mm]	31
Ballast Required	No
Energy efficiency class (EEC)	C
Weighted energy consumption [kWh/1000h]	270.07

## Logistic data

Pack Quantity	100
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	2700 EUR, 3100 UK
Layer quantity EUR	2700
Layer quantity UK	3100
Pallet quantity EUR (PC)	16200
Pallet quantity UK (PC)	18600
Outer case size	260 x 130 x 150 (mm)
Product status	Available while stock lasts

## Application areas



Film and Broadcast



Theatre

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)[Entertainment Solution Spectrum Catalogue \(PDF\)](#)[Lighting design tools & calculators \(HTTP\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination