



GE
Lighting



Single Ended Halogen

CP53 230-240V

88532

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W
-Range of bases to meet the needs of OEMs -
Chromised seal protection up to 500° C.



Product data

EAN Code	0043168885324
DUN Code	10043168885321
Bulb Shape	Tubular
Bulb Diameter [mm]	31
Cap/Base	P40s
Dimming Capability	Yes
Gross weight per piece [g]	378
Maximum Overall Length [mm]	200
Net weight per piece [g]	134
Brand	General Electric (GE)

Performance data

Nominal power [W]	2000
Nominal lamp voltage [V]	240
Nominal lumens [lm]	54000
Nominal correlated colour temperature (CCT) [K]	3200
Colour Rendering Index (CRI) [Ra]	100
Rated Life [h]	400
Ballast Required	No
Coil type	C-13
Energy efficiency class (EEC)	C
Light Center Length [mm]	87
Weighted energy consumption [kWh/1000h]	2066.04

Logistic data

Pack Quantity	12
Pallet quantity EUR (PC)	72
Pallet quantity UK (PC)	144
Inner pack type	BOX
Outer pack type	OUTER BOX
Outer case size	590 x 420 x 360 (mm)
Layer quantity	24 EUR, 48 UK
Layer quantity EUR	24
Layer quantity UK	48
Product status	Available

Application areas



Film and Broadcast



Theatre

Downloads & Links

[Go to the catalog site \(HTTP\)](#)[Entertainment Solution Spectrum Catalogue \(PDF\)](#)[Lighting design tools & calculators \(HTTP\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination