



PAR 56

300PAR56/WFL 240V

18678

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent







Product data

EAN Code	0043168186780
DUN Code	00043168186780
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Cap/Base	G16d
Nominal beam angle [°]	30
Gross weight per piece [g]	686
Maximum Overall Length [mm]	127
Net weight per piece [g]	617
Brand	General Electric (GE)

Performance data

Nominal power [W]	300
Nominal lamp voltage [V]	245
Nominal lumens [lm]	3450
Nominal correlated colour temperature (CCT) [K]	2750
Rated Life [h]	2000
Ballast Required	No
Nominal center beam candlepower (CBCP) [cd]	10000
Coil type	CC-13
Energy efficiency class (EEC)	E
Weighted energy consumption [kWh/1000h]	285.58





Logistic data

Pack Quantity	12
Pallet quantity EUR (PC)	192
Pallet quantity UK (PC)	264
Outer case size	349 x 300 x 446 (mm)
Layer quantity	96 EUR, 132 UK
Layer quantity EUR	96
Layer quantity UK	132
Product status	Available

Application areas



Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.