

HNS S 5 W G23

PURITEC HNS | Germicidal ultraviolet lamps



• Efficient disinfecting of air, water and surfaces

Product benefits

- · Effective and environment-friendly disinfection without chemicals
- Low mercury content
- Long lifetime due to specific coating
- Ozone-free

Product features

• Dominant wavelength: 254 nm (OFR version)





Technical data

Electrical data

Nominal voltage	35 V
Construction wattage	0.005 kW
Construction voltage	35 V
Lamp current	0.18 A
Nominal wattage	5 W
Nominal current	0.18 A

Light technical data

Radiated power 200...280 nm (UVC)

1.0 W

Dimensions & weight

Diameter	28.0 mm
Length	108.0 mm





Product line drawing

Additional product data

Base (standard designation)	G23
Footnote used only for product	UV irradiance 253.7 nm measured at a distance of 1 m at mid-lamp level, at 20 ° C ambient temperature, free-burning. Between 0.33.0 m, the irradiance is inversely proportional to the square of the distance

Capabilities

Burning position	s180
------------------	------

Product datasheet





Burning position



Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321229946	Folding carton box 1	36 mm x 23 mm x 115 mm	29.50 g	0.10 dm³
4008321244369	Shipping carton box 10	80 mm x 127 mm x 127 mm	325.00 g	1.29 dm³



Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.