

# **HTI 152 W**

HTI | Metal halide lamps, single-ended



### **Product benefits**

- High luminance
- · High luminous efficacy and efficiency





#### Product datasheet

#### Technical data


#### **Electrical data**

Nominal wattage	152 W	
Nominal voltage	90 V	
Nominal current	1.70 A	

#### Light technical data

Luminous flux	10000 lm	
Color temperature	5000 K	
Luminance	4200 cd/cm <sup>2</sup>	

#### **Dimensions & weight**







Product line drawing

Base

Light center length (LCL)	30.0 mm		
Length	48.0 mm		

#### Lifespan

Lifespan	2000 h
----------	--------

#### Additional product data

Base (standard designation)	GY9.5	
Picto Studio	Yes	

### Capabilities

Burning position	hs30
------------------	------

## Product datasheet

#### **Certificates & standards**

## Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300461519	OSRHTI152	-	-	-

#### Product datasheet



Burning position

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4050300461519	HTI 152 W	Folding carton box 1	38 mm x 38 mm x 73 mm	0.11 dm <sup>3</sup>	23.00 g
4050300461526	HTI 152 W	Shipping carton box 12	166 mm x 85 mm x 166 mm	2.34 dm <sup>3</sup>	323.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.