

Daylightstar T8

F15W/Daylightstar Retail

0000715



Range Features

- Reduces algae growth through a special UV-STOP protective sleeve
- Allows fish and plants to be seen in their true colours (high colour rendition)
- 5000K triphosphor lamp with a daylight character
- High colour rendition
- Long life
- Applications
- For use in fresh water aquariums
- In combination with Grolux® it produces a well balanced and optimal aquarium life



PRODUCT OVERVIEW

Lamp finish	Coated
Lamp shape	Tubular
Colour temperature (K)	5000
Dimmable	Yes
EAN code	5410288007151
Cap/Base	G13
Туре	DaylightStar
Watt (Nominal) (W)	15
Ordering number	0000715
Luminous flux (Rated) (lm)	900
Voltage (V)	55

DATA TABLE

General	data
GCIICIGI	aata

Average life (Nominal) (h)	10000
Control gear required	Yes
Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288007151
Fixture rating	Open
IEC Reference	IEC 60081



Daylightstar T8

F15W/Daylightstar Retail


0000715


IEC Reference 2	IEC 61195
Cap/Base	G13
Lamp mercury content (mg)	10
Туре	DaylightStar
Ordering number	0000715
Range features	Reduces algae growth through a special UV-STOP protective sleeve Allows fish and plants to be seen in their true colours (high colour rendition) 5000K triphosphor lamp with a daylight character High colour rendition Long life Applications For use in fresh water aquariums In combination with Grolux® it produces a well balanced and optimal aquarium life
Product name	F15W/Daylightstar Retail
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	10
E-number SE	8356660
Optical data Colour temperature (K)	5000
Luminous flux (Nominal) (lm)	900
Luminous flux (Rated) (lm)	900
Electrical data	
Current (A)	0.31
Watt (Nominal) (W)	15
Watt (Rated) (W)	15
Voltage (V)	55
Physical data	
1 Try Sical data	
Max. Lamp Diameter (mm) - D	26
•	26 451.6
Max. Lamp Diameter (mm) - D	
Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L	451.6
Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L Length base to base (mm) - A	451.6 437.4
Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L Length base to base (mm) - A Length base to pin Min-Max - B	451.6 437.4 442.1-444.5


PHOTOMETRY



Daylightstar T8 F15W/Daylightstar Retail 0000715







TECHNICAL DRAWINGS





