

Reptistar T8

F36W/Reptistar UV-B 5% Retail

0000734



Range Features

- Promotes vitamin D3 production which aids good health, growth and the general well-being of reptiles in terrariums through a high content of UVB (up to 5%) and UVA (up to 30%)
- This full spectrum (6500 K) lamp improves the natural appearance of reptiles
- Shows reptiles in their true colours
- Applications
- For the artificial lighting of reptiles in terrariums
- Directions for use
- This lamp emits UV-radiation. Avoid exposure to skin and eyes



PRODUCT OVERVIEW

Lamp finish	Coated
Lamp shape	Tubular
Colour temperature (K)	6500
Dimmable	Yes
EAN code	5410288007342
Cap/Base	G13
Type	ReptiStar
Watt (Nominal) (W)	36
Ordering number	0000734
Luminous flux (Rated) (lm)	1000
Voltage (V)	103

DATA TABLE

General data

Average life (Nominal) (h)	10000
Control gear required	Yes
Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288007342
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Cap/Base	G13
Lamp mercury content (mg)	10

Reptistar T8

F36W/Reptistar UV-B 5% Retail

0000734

Type	ReptiStar
Ordering number	0000734
Range features	<p>Promotes vitamin D3 production which aids good health, growth and the general well-being of reptiles in terrariums through a high content of UVB (up to 5%) and UVA (up to 30%) This full spectrum (6500 K) lamp improves the natural appearance of reptiles Shows reptiles in their true colours Applications For the artificial lighting of reptiles in terrariums Directions for use This lamp emits UV-radiation. Avoid exposure to skin and eyes</p>
Product name	F36W/Reptistar UV-B 5% Retail
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	10

Optical data

Colour temperature (K)	6500
Luminous flux (Nominal) (lm)	1000
Luminous flux (Rated) (lm)	1000

Electrical data

Current (A)	0.43
Watt (Nominal) (W)	36
Watt (Rated) (W)	36
Voltage (V)	103

Physical data

Max. Lamp Diameter (mm) - D	26
Lamp Length (mm) - C/L	1213.6
Length base to base (mm) - A	1199.4
Length base to pin Min-Max - B	1204.1-1206.5
Single packaging type	Box/Sleeve
Weight (kg)	0.16
Outer package dimensions (L x W x H) (cm)	130.80 x 6.50 x 14.70
Single package dimensions (L x W x H) (cm)	128.30 x 2.70 x 2.70

TECHNICAL DRAWINGS

Reptistar T8

F36W/Reptistar UV-B 5% Retail

0000734

