

Grolux T8/Minilyn

F18W/GRO

0001523



Range Features

- High level of blue and red radiation helps promote healthy plant growth
- Strengthens the natural colours of aquatic plants and fish in aquariums
- Promotes the process of photo-synthesis in plants
- Oldest, but most optimal light colour for plants and aquaria
- Applications
- For lighting of fresh water aquariums
- Complete or additional artificial lighting of plants
- Recommended for use in greenhouses, indoor gardens, flower shows and conservatories



PRODUCT OVERVIEW

Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288015231
Cap/Base	G13
Type	GroLux
Watt (Nominal) (W)	18
Ordering number	0001523
Voltage (V)	57

DATA TABLE

General data

Average life (Nominal) (h)	10000
Control gear required	Yes
Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288015231
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Cap/Base	G13
Lamp mercury content (mg)	10
Type	GroLux
Ordering number	0001523

Grolux T8/Minilyn

F18W/GRO

0001523

Range features

High level of blue and red radiation helps promote healthy plant growth
 Strengthens the natural colours of aquatic plants and fish in aquariums
 Promotes the process of photo-synthesis in plants
 Oldest, but most optimal light colour for plants and aquaria
 Applications
 For lighting of fresh water aquariums
 Complete or additional artificial lighting of plants
 Recommended for use in greenhouses, indoor gardens, flower shows and conservatories

Product name	F18W/GRO
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	25
E-number SE	8356670
E-number FI	4943110

Electrical data

Current (A)	0.37
Watt (Nominal) (W)	18
Watt (Rated) (W)	18
Voltage (V)	57

Physical data

Max. Lamp Diameter (mm) - D	26
Lamp Length (mm) - C/L	604
Length base to base (mm) - A	589.8
Length base to pin Min-Max - B	594.5-596.9
Single packaging type	Box/Sleeve
Weight (kg)	0.08
Outer package dimensions (L x W x H) (cm)	63.00 x 15.50 x 15.00
Single package dimensions (L x W x H) (cm)	61.00 x 2.90 x 2.80

TECHNICAL DRAWINGS

