


## PAR 36

PAR 36 12.8V 30W

**9020167**



### Range Features

- Pressed glass reflector lamps
- Beam patterns: from very narrow spot through wide angle floods
- Consistency from lamp to lamp
- Economical light source for effects
- Halogen version delivers maintained beam intensity throughout life
- Applications
- Entertainment and Architectural applications
- Displays
- Museums
- Exhibitions
- Gardens
- Discos
- Directions for use
- Easy handling
- Can be used with very economical fixtures (PAR cans)



### PRODUCT OVERVIEW

Lamp finish	Aluminium
Lamp shape	Reflector
Colour temperature (K)	3200
EAN code	5410288201672
Cap/Base	Screw Terminal
Beam angle(°)	Very Narrow Spot
Type	PAR 36
Watt (Nominal) (W)	30
Ordering number	9020167
Voltage (V)	12.8

### DATA TABLE

#### General data

Average life (Nominal) (h)	35
Lamp finish	Aluminium
Lamp shape	Reflector
Burning position	Any
EAN code	5410288201672
Fixture rating	Open
Cap/Base	Screw Terminal
Type	PAR 36
Ordering number	9020167

## PAR 36

PAR 36 12.8V 30W

**9020167**

### Range features

Pressed glass reflector lamps  
 Beam patterns: from very narrow spot through wide angle floods  
 Consistency from lamp to lamp  
 Economical light source for effects  
 Halogen version delivers maintained beam intensity throughout life  
 Applications  
 Entertainment and Architectural applications  
 Displays  
 Museums  
 Exhibitions  
 Gardens  
 Discos  
 Directions for use  
 Easy handling  
 Can be used with very economical fixtures (PAR cans)

<b>Product name</b>	PAR 36 12.8V 30W
<b>Transformer required</b>	No
<b>Sales pack quantity</b>	12

### Optical data

<b>Colour temperature (K)</b>	3200
<b>Beam angle(°)</b>	Very Narrow Spot
<b>Peak intensity (cd)</b>	50000

### Physical data

<b>Max. Lamp Diameter (mm) - D</b>	114
<b>Lamp Length (mm) - C/L</b>	70
<b>Single packaging type</b>	Box/Sleeve
<b>Weight (kg)</b>	0.18

### Electrical data

<b>Watt (Nominal) (W)</b>	30
<b>Watt (Rated) (W)</b>	30
<b>Voltage (V)</b>	12.8

## TECHNICAL DRAWINGS

PAR 36

PAR 36 12.8V 30W

**9020167**

