



HalogenA IDE 500W E40 240V CL 1CT

Product family description
Mains- voltage high- wattage double-
envelope giving a white halogen light

Product Features

- Quartz burner with a linear tungsten filament in a single- ended thermal- shock- resistant clear glass tubular envelope
- High luminous efficacy
- Excellent colour rendering

Application

- Typical application: outdoor floodlighting such as sport grounds, car parks, building sites, harbours and airport aprons
- Also used in Indoor applications: public halls, factories, sport halls etc.

Luminaires

- Should be used in enclosed luminaires or lighting systems


Product data	
Order code	491275 10
Full product code	871150049127510
loccod	
Full product name	HalogenA IDE 500W E40 240V CL 1CT
Order product name	HalA IDE 500W E40 240V CL 1CT/6
Packing type	1 Lamp in a Folding Carton
Pieces per pack	1
Packing configuration	6
Packs per outerbox	6
Bar code on pack - EAN1	8711500491275
Bar code on intermediate packing - EAN2	
Bar code on outerbox - EAN3	8711500499950
Logistic code(s) - 12NC	9239 001 45513
ILCOS code	HEGT- 500- 240- e40
Net weight per piece	141.000 GR

Product data


Successor order code	
Cap- Base	GES [GES]
Bulb	T38 [T 38mm]
Bulb Finish	Clear
Burning Position	any [Any/Universal]
Life to 50% failures	2000 hr
Rated Lamp Wattage	500W
Voltage	240V
Dimmable	yes
Colour Rendering Index	100 Ra8
Colour Temperature	2900 K
Lamp Luminous Flux	10000 Lm



HalA IDE



Cap- Base GES



Burning Position any

