



Finish : Clear

A ( 1 : 1 )

1	0833	2	0833	3	0000	4		5		6		7		8	
SUPERSEDES 9238 500 32300 0833/000 p.190-1 Of 17/07/2002				HALOGEN LAMP INFRARED INDUSTRIAL 13169X CL 120V 500W X-CLIP						9238 500 32300 0833/000			30/11/2010		
REF. : IRK N 2009-066		DOCUMENTATION		UNIT mm	PROJ. EUROP 	2 SH	SH 190-1	10	1:2	A4					
NAME : J.P. CHARLIER		VALIDATION : A. PICHARD			DR. FISCHER Europe										
All rights reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner.															

**PRODUCT REQUIREMENT SHEET**

See LV 75-032

<b>MEASURING VOLTAGE</b>	120V (stabilisation 3 min.)
<b>MEASURING POSITION</b>	Horizontal
<b>LIFE TEST POSITION</b>	Horizontal
<b>BURNING POSITION</b>	P15
<b>SWITCHING CYCLE</b>	Continuous
<b>AGEING</b>	1h at rated voltage

	VALUE UNIT	TOLERANCE
<b>WATTAGE</b>	500W	± 6 %
<b>LIFE</b>	5000 h	average
<b>COLOR TEMPERATURE</b> Clear lamp Lamp with reflector	2450 K NA	± 100 K
<b>FLUX (HeLeN lamp)</b>	NA	
<b>WEIGHT</b>	40 g	

1	0833	2	0833	3	0000	4		5		6		7		8	
SUPERSEDES :		HALOGEN LAMP						9238 500 32300			01/12/2010				
9238 500 32300		INFRARED INDUSTRIAL						0833/000							
0833/000 p. 190-2		13169X CL 120V 500W X-CLIP													
Of 14/05/2002		REF. : IRK N 2009-066		DOCUMENTATION	UNIT mm	PROJ EUROP	2 SH	SH	190-2	10			A4		
NOM : J.P. CHARLIER		VALIDATION : A. PICHARD						DR. FISCHER Europe							
All rights reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner.															