

# Novallure 2W E14 3000K B35 CL ICT

## Product family description

Delivering incandescent-like sparkling light effects, Novallure LED candle and luster bulbs are ideal for general and decorative lighting in the hospitality industry, as well as in home environments.

Mounted in full view in chandeliers, wall scones or modern luminaires, the clear or frosted glass bulbs fit all existing fixtures with an E14 socket. Drawing upon inputs from chandelier makers and designed to enhance the aesthetic appeal of the chandelier or luminaire, not only when lit but also when not, these lamps come in a classical slender shape with a unique, eye-catching lens design. They produce a beautiful sparkling warm light that delivers huge energy savings and minimises maintenance cost.

## **Product Features**

- · Unique eye-catching lens design
- Inviting, sparkling light effect
- Lower maintenance cost due to 15 times longer lifetime
- · Free of mercury and hazardous materials.
- · available in clear and frosted

#### **Product Benefits**

- Sparkling warm light
- 80% energy saving
- Classical slender shape and crystal-clear bulb, fitting all existing fixtures with E14 holders – enhances original design concept of chandelier

## **Application**

- · Hospitality applications and in the home
- · Chandelier, wall scone or modern luminaire

Product data
Order code 852899 00



Product data			
Full product code	872790085289900		
loccod			
Full product name	Novallure 2W E14 3000K B35 CL ICT		
Order product name	Novallu. 2W E14 3000K B35 CL 1CT/10		
Packing type			
Pieces per pack	l .		
Packing configuration	10		
Packs per outerbox	10		
Bar code on pack - EAN1	8727900852899		
Bar code on intermediate packing - EAN2			
Bar code on outerbox - EAN3	8727900852905		
Logistic code(s) - 12NC			
ILCOS code			
Net weight per piece	0.035 KG		
Successor order code			
Cap-Base	SES		
Bulb	B35 [B 35mm]		
Bulb Finish	Clear		
Average Lifetime	15000 hr		
Wattage	2W		
Voltage	230-240V [230-240]		
Colour Code	WH		
Colour Designation	White		
Luminous Flux	50 Lm		
Colour rendering index	80		
Luminous Efficacy Lamp	25 Lm/W		
Colour Temperature	3000K [CCT 3000K]		




Novallu. E14 3000K B35 CL

no image available

Novallure B35 E14





Novallu. E14/WH B35

	C	D
Full product name	Nom	Nom
Novallure 2W E14 3000K B35 CL ICT	99	35.1



# $\hbox{@2009 Koninklijke Philips Electronics N.V.}\\$

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liablity will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000