



Novallure 2W E14 3000K B35 FR ICT

Product family description

Delivering incandescent-like sparkling light effects, Novallure LED candle and luster bulbs are ideal for general and decorative lighting in the hospitality industry, as well as in home environments.

Mounted in full view in chandeliers, wall scones or modern luminaires, the clear or frosted glass bulbs fit all existing fixtures with an E14 socket. Drawing upon inputs from chandelier makers and designed to enhance the aesthetic appeal of the chandelier or luminaire, not only when lit but also when not, these lamps come in a classical slender shape with a unique, eye-catching lens design. They produce a beautiful sparkling warm light that delivers huge energy savings and minimises maintenance cost.

Product Features

- Unique eye-catching lens design
- Inviting, sparkling light effect
- Lower maintenance cost due to 15 times longer lifetime
- Free of mercury and hazardous materials.
- available in clear and frosted

Product Benefits

- Sparkling warm light
- 80% energy saving
- Classical slender shape and crystal-clear bulb, fitting all existing fixtures with E14 holders – enhances original design concept of chandelier

Application

- Hospitality applications and in the home
- Chandelier, wall scone or modern luminaire

Product data

Order code

852936 00

PHILIPS


Product data	
Full product code	872790085293600
loccod	
Full product name	Novallure 2W E14 3000K B35 FR ICT
Order product name	Novallu. 2W E14 3000K B35 FR ICT/10
Packing type	
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8727900852936
Bar code on intermediate packing - EAN2	
Bar code on outerbox - EAN3	8727900852943
Logistic code(s) - I2NC	
ILCOS code	
Net weight per piece	0.035 KG
Successor order code	
Cap-Base	SES
Bulb	B35 [B 35mm]
Bulb Finish	Frosted
Average Lifetime	15000 hr
Wattage	2W
Voltage	230-240V
Colour Code	WH
Colour Designation	White
Luminous Flux	50 Lm
Colour rendering index	80
Luminous Efficacy Lamp	25 Lm/W
Colour Temperature	3000K [CCT 3000K]




Novallu. E14 B35 FR



Novallure B35 E14



Novallu. 2W E14/WH 230-240V



Novallu. E14/WH B35

	C	D
Full product name	Nom	Nom
Novallure 2W E14 3000K B35 FR ICT	99	35.1



©2009 Koninklijke Philips Electronics N.V.

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000