

## Blacklight BL368 Compact

Lynx-s 9W BL368 0025411



#### Range features

- Features
- These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect eye sensitivity is generally at or near this frequency
- 100% improvement in effectiveness (at 368nm)
- Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)
- Performs longer and better throughout the insect season
- Directions for use
- Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage

## 

#### **PRODUCT OVERVIEW**

Ordering number	0025411
Lamp finish	Quantum-365nm
Cap/Base	G23
Туре	Blacklight
EAN code	5410288254111
Watt (Nominal) (W)	9
Voltage (V)	60



# Blacklight BL368 Compact

Lynx-s 9W BL368


0025411


General data	
Ordering number	0025411
Lamp finish	Quantum-365nm
Cap/Base	G23
Туре	Blacklight
EAN code	5410288254111
Long description	Features. These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency. 100% improvement in effectiveness (at 368nm). Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output). Performs longer and better throughout the insect season Directions for use. Maximum exposure limits are set by EN60335 2-59:1997 at a effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage
Product name	Lynx-s 9W BL368
Special purpose lamp	Yes
Sales pack quantity	1
Electrical data	
Watt (Rated) (W)	9
Watt (Nominal) (W)	9
Voltage (V)	60
Current (A)	0.17
Physical data	
Lamp Length (mm) - C/L	165
Packaging outer width (cm)	19.1
Packaging outer height (cm)	18.2
Packaging outer length (cm)	24.1
rackaging cater rength (cm)	
Packaging single width (cm)	3.6



# Blacklight BL368 Compact Lynx-s 9W BL368 0025411

### PHOTOMETRY





### **TECHNICAL DRAWINGS**

