

# MASTER PL-Electronic 5W/827 E14 230-240V 1CT

Product family description Non-covered energy-saving MASTER lamps for professional use

#### **Product Features**

- · Lightweight, superior long-life alternative to incandescent lamps
- The perfect choice for end users that demand the best performance and reliability
- Average lifetime 15 times longer than an incandescent lamp
- European energy efficiency labelling class A for the complete range
- Very good lumen maintenance throughout the lifetime of the lamp
- Complete range equipped with the unique Philips bridged burner technology (Mercury)
- Very low mercury content (≤2 mg)

#### **Product Benefits**

- Highest energy efficiency resulting in one-fifth the energy consumption of an incandescent lamp for the same light output
- · Smallest dimensions ensuring optimal physical fit
- Highest reliability throughout life which is especially beneficial where lighting is required for longer periods of time and/or where lamp replacement is difficult
- The unique bridged burner results in an excellent run-up time with very high initial light output and better thermal performance
- Green Flagship product as best environmental choice in the CFL portfolio
- · Lifetime independent of switching on-off
- Lowest total cost of ownership

### **Applications:**

- Designed to replace incandescent lamps in most professional and semi-professional applications
- Mainly indoor (e.g. hotels, restaurants, offices)
- For outdoor applications 3 types (15, 20, 23W) will remain available also in Amalgam with the benefit of virtually constant light output (>90%) over the recommended temperature
- · Enclosed fixtures are required for outdoor applications
- Suitable for emergency lighting with DC supply
- Not suitable for dimming and electronic devices


| Product data |           |  |  |  |  |
|--------------|-----------|--|--|--|--|
| Order code   | 263568 25 |  |  |  |  |



| Product data                  |  |  |  |  |
|-------------------------------|--|--|--|--|
| Full product code             | 871150026356825                              |  |  |  |
| Full product name             | MASTER PL-Electronic 5W/827 E14 230-240V 1CT |  |  |  |
| Order product name            | MASTER PL-E 5W/827 E14 230-240V 1CT          |  |  |  |
| Packing type                  | 1 Lamp in a Folding Carton                   |  |  |  |
| ieces per pack                | 1  |  |  |  |
| Packing configuration         | 10   |  |  |  |
| Packs per outerbox            | 10   |  |  |  |
| Bar code on pack - EAN1       | 8711500263568                                |  |  |  |
| Bar code on outerbox - EAN3   | 8711500263575                                |  |  |  |
| ogistic code(s) - 12NC        | 9297 303 82702                               |  |  |  |
| LCOS code                     | FBT-5/27/1b-230/240-E14                      |  |  |  |
| Net weight per piece          | 60.000 GR                                    |  |  |  |
| Cap-Base                      | SES  |  |  |  |
| xecution                      | square                                       |  |  |  |
| Life to 50% failures          | 15000 hr                                     |  |  |  |
| Rated Lamp Wattage            | 5W   |  |  |  |
| Voltage                       | 230-240V                                     |  |  |  |
| Dimmable                      | no   |  |  |  |
| Energy Efficiency Label (EEL) | A  |  |  |  |
| Mercury (Hg) Content          | 1.41 mg                                      |  |  |  |
| Colour Code                   | 827 [CCT of 2700K]                           |  |  |  |
| Colour Rendering Index        | 82 Ra8                                       |  |  |  |
| Colour Designation            | Warm white                                   |  |  |  |
| Colour Temperature            | 2700 K                                       |  |  |  |
| amp Luminous Flux             | 230 Lm                                       |  |  |  |



MASTER PL-E 5W E14




Cap-Base SES









## MASTER PL-E E14

|   | C     | D    | F    |
|---|-------|------|------|
| Full product name                                       | Max   | Max  | Max  |
| MASTER PL-<br>Electronic 5W/<br>827 E14<br>230-240V 1CT | 117.2 | 28.0 | 40.3 |

