

## GU10 REFLECTOR 7W 827

GU10 REFLECTOR 7W/827 SLV

0031047



### Range features



### PRODUCT OVERVIEW

Ordering number	0031047
Light colour	827 Homelight
Technology	Compact Fluorescent
Average life (Rated) (h)	8000
Lamp finish	827 / Warm White Deluxe
Lamp shape	Reflector
Dimmable	No
Cap/Base	GU10
Type	Mini-Lynx GU10 Reflector
EAN code	5410288310473
CRI (Ra)	80
Beam angle(°)	80% cd <120
Colour temperature (K)	2700
Useful luminous flux (Rated) (lm)	210
Watt (Nominal) (W)	7.0
Equivalent watt (W)	n/a (classified as a reflector)
Voltage (V)	230-240

# GU10 REFLECTOR 7W 827

GU10 REFLECTOR 7W/827 SLV

**0031047**

## DATA TABLE

### General data

<b>Ordering number</b>	0031047
<b>Technology</b>	Compact Fluorescent
<b>Dry applications use only</b>	Yes
<b>Energy saving lamp</b>	0.8
<b>Average life (Rated) (h)</b>	8000
<b>Average life (Nominal) (h)</b>	8000
<b>Lamp finish</b>	827 / Warm White Deluxe
<b>Lamp shape</b>	Reflector
<b>Dimmable</b>	No
<b>Cap/Base</b>	GU10
<b>Type</b>	Mini-Lynx GU10 Reflector
<b>EAN code</b>	54 10288310473
<b>E-number FI</b>	4943662
<b>E-number SE</b>	8357883
<b>Product name</b>	GU10 REFLECTOR 7W/827 SLV
<b>Lamp mercury content (mg)</b>	<3.5
<b>Starting time (max) (s)</b>	< 1.0
<b>Warm-up time to 60% of full light (max) (s)</b>	< 60 s
<b>Control gear required</b>	No
<b>Burning position</b>	Universal
<b>IEC Reference</b>	IEC 60968
<b>IEC Reference 2</b>	IEC 60969
<b>IEC Reference 3</b>	IEC 55015
<b>ILCOS code</b>	FBRH-7/27/1b-GU10-50/82
<b>Intended purpose</b>	General lighting
<b>No. of switching cycles before premature failure (min)</b>	10000
<b>Special purpose lamp</b>	No
<b>Transformer required</b>	No
<b>Sales pack quantity</b>	10
<b>Optimal operating condition (°C)</b>	25° C, cap-up, Stated lumen output may vary if ope

## GU10 REFLECTOR 7W 827

GU10 REFLECTOR 7W/827 SLV

0031047

### Optical data

<b>Light colour</b>	827 Homelight
<b>CRI (Ra)</b>	80
<b>Beam angle (°)</b>	80% cd <120
<b>Colour temperature (K)</b>	2700
<b>Lumen maintenance at end of nominal life (%)</b>	80
<b>Useful luminous flux (Rated) (lm)</b>	210
<b>Luminous flux (Nominal) (lm)</b>	210
<b>Chromaticity coordinate Y</b>	0.42
<b>Chromaticity coordinate X</b>	0.463

### Electrical data

<b>Watt (Nominal) (W)</b>	7.0
<b>Equivalent watt (W)</b>	n/a (classified as a reflector)
<b>Watt (Rated) (W)</b>	7.0
<b>Voltage (V)</b>	230-240
<b>Current (A)</b>	0.05
<b>Lamp power factor</b>	> 0.5

### Physical data

<b>Weight (kg)</b>	0.05
<b>Lamp Length (mm) - C/L</b>	82
<b>Lamp Diameter (mm) - D</b>	50

## GU10 REFLECTOR 7W 827

GU10 REFLECTOR 7W/827 SLV

0031047

### TECHNICAL DRAWINGS

