

## 64514 300 W 120 V

Halogen lamps, medium/high voltage, single-ended



## Areas of application

• Professional film and TV work

## **Product features**

- $\boldsymbol{\cdot}$  Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



## Product datasheet

## Technical data


#### **Electrical data**

Nominal wattage	300 W
Nominal voltage	120 V

## Light technical data

Nominal luminous flux	8100 lm	
Luminous flux	8100 lm	
Color temperature	3200 K	

## **Dimensions & weight**







Product line drawing

Base

Diameter	18.5 mm
Illuminated field	10.0*12.5 mm²
Length	53.0 mm
Filament diameter	12.5 mm

## Lifespan

Lifespan	75 h
----------	------

## Additional product data

Base (standard designation)	GX6.35	
Footnote used only for product	With quartz pinch technology	
Picto Projection	Yes	

### Certificates & standards

# Product datasheet

EEI – Energy Label	В		
Country specific categorizations			
Order reference	64514		

#### Product datasheet



Burning position

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4008321746139	64514 300 W 120 V	Folding carton box 1	37 mm x 33 mm x 71 mm	0.09 dm <sup>3</sup>	11.00 g
4008321746146	64514 300 W 120 V	Shipping carton box 20	142 mm x 76 mm x 205 mm	2.21 dm <sup>3</sup>	335.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### References / Links

For further information on pinch technology, please refer to the following brochure:

"A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.