

93591 400 W 240 V


Halogen lamps, medium/high voltage, single-ended

Areas of application

- Professional film and TV work

Product features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



Technical data


Electrical data

Nominal wattage	400 W
Nominal voltage	240 V

Light technical data

Color temperature	3200 K
-------------------	--------

Dimensions & weight



Base

Diameter	20.0 mm
Illuminated field	10.7*12.2 mm ²
Length	77.0 mm
Filament diameter	12.2 mm

Lifespan

Lifespan	75 h
----------	------

Additional product data

Base (standard designation)	GY9.5
Footnote used only for product	Available on request
Picto Projection	Yes

Certificates & standards



EEL – Energy Label	C
--------------------	---

Product datasheet

Country specific categorizations

Order reference	93591
-----------------	-------

Product datasheet



Burning position

Burning position

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4050300481555	93591 400 W 240 V	Folding carton box 1	35 mm x 30 mm x 89 mm	0.09 dm ³	36.00 g
4050300481562	93591 400 W 240 V	Shipping carton box 24	147 mm x 114 mm x 209 mm	3.50 dm ³	902.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure:

“A whole lotta shakin’ goin’ on!” New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.