

93637 150 W 21 V

Halogen lamps with reflector MR16

Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)

Technical data

Electrical data


Nominal voltage	21 V
Nominal wattage	150 W

Light technical data

Focal length	44.5 mm
--------------	---------

Dimensions & weight

Diameter	51.0 mm
Length	44.5 mm



Product line drawing with letters



Base



Base

Lifespan

Lifespan	100 h
----------	-------

Additional product data

Base (standard designation)	GX5.3
Coating	Dichroic

Capabilities

Cooling	Convection
Burning position	hs30

Country specific categorizations

ANSI code	EJV
Order reference	93637



Burning position



Burning position

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4050300350097	Folding carton box 1	48 mm x 47 mm x 58 mm	30.00 g	0.13 dm ³
4050300350103	Shipping carton box 24	152 mm x 131 mm x 197 mm	826.00 g	3.92 dm ³

References / Links

For further technical information please refer to the following OSRAM brochure:

“Technology and applications, Low-voltage tungsten-halogen lamps”

“Halogen lamps, low and medium voltage for entertainment, technical and medical applications” cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.