

aluPAR 64 500 W 230 V VNSP

aluPAR 64 | Halogen lamps with parabolic aluminum reflector PAR64, with pin base





Technical data

Electrical data


Nominal wattage	500 W
Nominal voltage	230 V

Light technical data

Beam angle	10 ° ¹⁾
Luminous intensity	240000 cd
Color temperature	3100 К

 $^{1)}$ Half-value angle 50°

Dimensions & weight



Product line drawing

Diameter	204.0 mm
Length	203.1 mm
Lifespan	
Lifespan	300 h
Additional product data	
Base (standard designation)	GX16d
Picto Studio	Yes
Capabilities	
Burning position	hs30 ¹⁾
¹⁾ Do not tilt perpendicular to the filament	·

Certificates & standards

EEI – Energy Label

el	C

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321341259	OSRALUPAR500VNSP	-	-	-

Safety advice

To prevent personal injury or damage to property, aluPAR 56 and aluPAR 64 lamps may only be operated in suitable luminaires designed with suitable mechanisms (grids etc.) to ensure that in the event of a lamp bursting no parts/shards can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.



Burning position

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4008321341259	aluPAR 64 500 W 230 V VNSP	Folding carton box 1	169 mm x 166 mm x 194 mm	5.44 dm³	654.00 g
4008321341266	aluPAR 64 500 W 230 V VNSP	Shipping carton box 6	355 mm x 210 mm x 510 mm	38.02 dm³	4306.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Further information on the aluPAR lamps can be found in the brochure entitled: "In a class of their own. OSRAM PAR lamps for entertainment lighting: Lighter, brighter, cooler."

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.