

## PAR 56 12V Swimming Pool

PAR 56 12V 300W Swimming Pool

**9061532**



- Features
- Low voltage (12V) for safety reasons
- Heat resistant glass
- Sturdily constructed lamp absorbs mechanical shocks
- Wide beam
- 
- Applications
- Swimming Pools
- Fountains
- 
- Directions for use
- High running current (25A)

## PRODUCT OVERVIEW

Ordering number	9061532
Colour temperature (K)	2850
Bulb shape	Reflector
Nominal average life (h)	1000
EAN code	9999999999999
Bulb finish	Aluminium
Cap/Base	Screw
Watt (W)	300
Type	PAR 56
Lamp Length (mm) - C	114
Lamp Diameter (mm) - D	178
Voltage (V)	12

## PAR 56 12V Swimming Pool

PAR 56 12V 300W Swimming Pool

**9061532**

### DATA TABLE

#### General data

Ordering number	9061532
Nominal average life (h)	1000
Ballast required	
Bulb finish	Aluminium
Bulb shape	Reflector
EAN code	9999999999999
Fixture rating	Open
IEC Reference	
IEC Reference 2	
IEC Reference 3	
Cap/Base	Screw
Type	PAR 56
Transformer required	No
Unit case	12
Product name	PAR 56 12V 300W Swimming Pool
Average rated life (h)	100
Burning position	S45
Long description	Features Low voltage (12V) for safety reasons Heat resistant glass Sturdily constructed lamp absorbs mechanical shocks Wide beam Applications Swimming Pools Fountains Directions for use High running current (25A)

#### Optical data

Colour temperature (K)	2850
Peak intensity (cd)	12000

#### Electrical data

Watt (W)	300
Rated watt (W)	300
Voltage (V)	12

## PAR 56 12V Swimming Pool

PAR 56 12V 300W Swimming Pool

**9061532**

### Physical data

Packaging outer height (cm)	34
Packaging single height (cm)	16
Lamp Diameter (mm) - D	178
Lamp Length (mm) - C	114
Packaging outer length (cm)	43
Packaging single length (cm)	15
Packaging outer width (cm)	31
Packaging single width (cm)	14.5



## PAR 56 12V Swimming Pool

PAR 56 12V 300W Swimming Pool

**9061532**

### TECHNICAL DRAWINGS

---

