



PAR38

PAR38 60W E27 230V FL 30D 1CT

Pressed-glass 121 mm diameter reflector lamps of high luminous intensity

Product data

• General Characteristics

Cap-Base	E27
Bulb	PAR38 [PAR 4.75 inch/121mm]
Operating Position	any [Any or Universal (U)]
Average Lifetime	2000 hr

• Electrical Characteristics

Lamp Wattage	60 W
Voltage	230 V
Dimmable	Yes

• Light Technical Characteristics

Beam Description	Flood [Flood]
Beam Angle	30 D
Beam Angle Technical	30 D
Luminous Intensity	1200 (max) cd
Color Rendering Index	100 Ra8
Luminous flux lamp	450 Lm

• Product Dimensions

Overall Length C	137 (max) mm
Overall Length Rim C1	123 mm
Diameter D	121 mm
Eccentricity	1.0 (max) mm
Skewness	2.5 (max) mm
Glass Strain Big Parabola	500 nm

Glass Strain Small Parabola	650 nm
L-size	70 mm

• Measuring Conditions

Measuring Voltage	230 V
Life test position	180 deg (cap up vertical)
Switching cycle	2 times a 24h; minimum 15 minutes off
Ageing	1 hour at rated voltage
LV Reference	See also LV 080-031-010


• Product Data

Order code	923810444214
Full product code	923810444214
Full product name	PAR38 60W E27 230V FL 30D 1CT
Order product name	PAR38 60W E27 230V FL 30D 1CT/12
Pieces per pack	1
Packing configuration	12
Packs per outerbox	12
Bar code on pack - EAN1	8711500380630
Bar code on outerbox - EAN3	8711500380968
Logistic code(s) - 12NC	923810444214
ILCOS code	IPAR-60-230-E27-121/30
Net weight per piece	319.000 gr

PHILIPS

sense and simplicity

Dimensional drawing



Product	C (Max)	C1 (Norm)	D (Norm)
PAR38 60W E27 230V FL	137	123	121



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, May 14
data subject to change