

MASTER PL-T 2 Pin

MASTER PL-T 18W/827/2P 1CT

MASTER PL-T is an efficient compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications demanding higher lighting levels. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.

Product data

• General Characteristics

Cap-Base Cap-Base Information Life to 50% failures EM	GX24d-2 2P 10000 hr
Life to 10% failures	6500 hr
LSF EM 8000h Rated,	78 %
3h cycle LSF EM 6000h Rated,	92 %
3h cycle LSF EM 4000h Rated,	98 %
3h cycle LSF EM 2000h Rated,	99 %
3h cycle	/0

• Light Technical Characteristics

Color Code Color Rendering Index	827 [CCT of 2700K] 82 Ra8
Color Designation (text)	Incandescent White
Color Temperature	2700 K
Chromaticity Coordinate X	455 -
Chromaticity Coordinate Y	417 -
Lum Efficacy Rated EM 25°C	67 (min) Lm/W
LLMF EM 8000h Rated	81 %
LLMF EM 6000h	84 %
Rated	
LLMF EM 4000h Rated	87 %

LLMF EM 2000h	92 %
Rated	
Luminous Flux EM	1200 Lm
25°C, Rated	
Luminous Flux EM	1200 Lm
25°C, Nominal	
Design Temperature	28 C

• Electrical Characteristics

Lamp Wattage	18 W
Dimmable	No
Lamp Current EM	0.225 A
25°C	
Lamp Wattage EM	18.0 W
25°C, Rated	
Lamp Wattage EM	18 W
25°C, Nominal	
Lamp Voltage EM	100 V
25°C	

• Environmental Characteristics

Energy Efficiency	В
Label (EEL)	
Mercury (Hg)	1.4 mg
Content	

• Product Dimensions

Base Face to Base	71.8 (max) mm
Face A	
Insertion Length B	96.0 (max) mm
Overall Length C	119.2 (max) mn
Diameter D	41 (max) mm



MASTER PL-T 2 Pin

• Product Data

Order code 927914382771 Full product code Full product name 927914382771

MASTER PL-T 18W/827/2P 1CT MASTER PL-T 18W/827/2P 1CT/ Order product name

5X10CC

Pieces per pack Packing configuration
Packs per outerbox 5X10CC 50

8711500559791 Bar code on pack -

EAN1

Warnings and Safety

• Use only with electromagnetic control gear

• Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position

8711500559807 Bar code on inter-

mediate packing -EAN2

Bar code on

outerbox - EAN3 Logistic code(s) -

927914382771 12NC


FSM-18/27/1B-I-GX24d=2 ILCOS code

8711500559814

Net weight per piece 59.000 gr


• Dimming is not possible

Dimensional drawing




GX24d-2, 2P

Product	A (Max)	B (Max)	C (Max)	D (Max)	
PL-T 18W/827/2P M	71.8	96.0	119.2	41	



MASTER PL-T 2 Pin

Photometric data





Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.