

MASTER PL-T 2 Pin

MASTER PL-T 18W/840/2P 1CT

MASTER PL-T is an efficient compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications demanding higher lighting levels. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.

Product data

• General Characteristics

Cap-Base Cap-Base Information Life to 50% failures FM	GX24d-2 2P 10000 hr
Life to 10% failures	6500 hr
LSF EM 8000h Rated,	78 %
3h cycle LSF EM 6000h Rated,	92 %
3h cycle LSF EM 4000h Rated,	98 %
3h cycle LSF EM 2000h Rated, 3h cycle	99 %
,	

• Light Technical Characteristics

Color Code Color Rendering Index	840 [CCT of 4000K] 82 Ra8
Color Designation (text)	Cool White
Color Temperature	4000 K
Chromaticity Coordinate X	380 -
Chromaticity Coordinate Y	379 -
Lum Efficacy Rated EM 25°C	67 (min) Lm/W
LLMF EM 8000h Rated	81 %
LLMF EM 6000h	84 %
Rated	
LLMF EM 4000h Rated	87 %

LLMF EM 2000h	92 %
Rated	
Luminous Flux EM	1200 Lm
25°C, Rated	
Luminous Flux EM	1200 Lm
25°C, Nominal	
Design Temperature	28 C

• Electrical Characteristics

Lamp Wattage	18 W
Dimmable	No
Lamp Current EM	0.225 A
25°C	
Lamp Wattage EM	18.0 W
25°C, Rated	
Lamp Wattage EM	18 W
25°C, Nominal	
Lamp Voltage EM	100 V
25°C	

• Environmental Characteristics

Energy Efficiency	В
Label (EEL)	
Mercury (Hg)	1.4 mg
Content	

• Product Dimensions

Base Face to Base	71.8 (max) mm
Face A	
Insertion Length B	96.0 (max) mm
Overall Length C	119.2 (max) mn
Diameter D	41 (max) mm



MASTER PL-T 2 Pin

• Product Data

Order code 927914384071
Full product code 927914384071
Full product name MASTER PL-T 1

Full product name MASTER PL-T 18W/840/2P 1CT Order product name MASTER PL-T 18W/840/2P 1CT/

5X10CC

Pieces per pack 1
Packing configuration 5X10CC
Packs per outerbox 50

Bar code on pack - 8711500610614

EAN1

Warnings and Safety

• Use only with electromagnetic control gear

 Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position Bar code on intermediate packing -

EAN2

Bar code on outerbox - EAN3

Logistic code(s) - 927914384071

12NC ILCOS code


FSM-18/40/1B-I-GX24d=2

8711500610751

Net weight per piece 59.000 gr


• Dimming is not possible

Dimensional drawing




GX24d-2, 2P

Product	A (Max)	B (Max)	C (Max)	D (Max)
PL-T 18W/840/2P M	71.8	96.0	119.2	41



MASTER PL-T 2 Pin

Photometric data





Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.