

Product Features

- 2-pin base with a housing incorporating the special instant starter and capacitor
- Lamp characteristics are influenced by operating conditions and control gear used
- Dimming is not possible

Product Benefits

- Optimal light performance for short or long operation per switch on
- Long life and sustainable light output

Environment

• Good environmental choice because of high energy efficiency, long life and low light output depreciation, lowest mercury content

• Compliant with all RoHS and WEEE requirements: the lamps have a very low content of mercury, are lead free and make no use of radioactive materials and hazardous flame retardants

MASTER PL-C 10W/

Energy-saving compact fluorescent lamps Compact long- arc low- pressure mercury

Envelope consists of 4 parallel narrow

840/2P 1CT

Product family description

discharge lamp

fluorescent tubes

Application

- Designed for general or supplementary lighting in professional or home environments
- Recessed or surface-mounted downlighters, wall units, table lamps and pendant lamps


System

- For use on conventional copper iron ballasts
- · Radio interference suppression capacitor is installed


Product data				
Order code	704986 70			
Full product code	871150070498670			
Full product name	MASTER PL-C 10W/840/2P 1CT			
Order product name	MASTER PL-C 10W/840/2P 1CT/5X10BOX			
Packing type	1 Lamp in a Folding Carton			
Pieces per pack	1			
Packing configuration	5X10BOX			
Packs per outerbox	50			
Bar code on pack - EAN1	8711500704986			
Bar code on intermediate packing - EAN2	8711500733030			
Bar code on outerbox - EAN3	8711500710994			
Logistic code(s) - 12NC	9279 036 08480			
ILCOS code	FSQ-10/40/1B-I-G24d=1			
Net weight per piece	45.000 (GR)			
Successor order code				
Rated Lamp Wattage[W]	10W			
Colour Code	840 [CCT of 4000K]			




Product data				
Cap-Base Information	2P			
Cap-Base	G24d-1			
Execution	/2P[2 Pins]			
Energy Efficiency Label (EEL)	В			
Mercury (Hg) Content[mg]	1.4			
Colour Rendering Index[Ra8]	82			
Colour Designation (text)	Cool White			
Colour Temperature[K]	4000			
Lamp Luminous Flux EM[Lm]	600			



MASTER PL-C/840




MASTER PL-C/840



MASTER PL-C





2002-06-19: new lamp cap with no details MASTER PL- C $\,$

	А	В	С	D	D1
Full produc t name	Max	Max	Max	Max	Max
MASTE R PL- C 10W/ 840/2P 1CT	75.7	94.0	116.4	27.1	27.1

