

MASTER PL-C 10W/840/4P 1CT

Product family description Energy-saving compact fluorescent lamps Compact long- arc low- pressure mercury discharge lamp Envelope consists of 4 parallel narrow fluorescent tubes

Product Features

- · 4- pin base without starter and capacitor
- Lamp characteristics are influenced by operating conditions and control gear used
- · Dimming is possible

Product Benefits

- Optimal light performance for short or long operation per switch on
- · Long life and sustainable light output

Enviroment

 Good environmental choice because of high energy efficiency, long life and low light output depreciation, lowest mercury content Compliant with all RoHS and WEEE requirements: the lamps have a very low content of mercury, are lead free and make no use of radioactive materials and hazardous flame retardants

Application

- Designed for general or supplementary lighting in professional or home environments
- Recessed or surface-mounted downlighters, wall units, table lamps and pendant lamps


System

 Suitable for use with electronic gear, enabling controllable light output, HF operation and independence from the supply system


Product data					
Order code	623300 70				
Full product code	871150062330070				
Full product name	MASTER PL- C 10W/840/4P 1CT				
Order product name	MASTER PL- C 10W/840/4P 1CT/5X10BOX				
Packing type	1 Lamp in a Folding Carton				
Pieces per pack	1				
Packing configuration	5X10BOX				
Packs per outerbox	50				
Bar code on pack - EAN1	8711500623300				
Bar code on intermediate packing - EAN2	8711500624086				
Bar code on outerbox - EAN3	8711500711038				
Logistic code(s) - 12NC	9279 037 08480				
ILCOS code	FSQ-10/40/1B-E-G24q=1				
Net weight per piece	41.400 (GR)				
Successor order code					
Rated Lamp Wattage[W]	10W				
Colour Code	840 [CCT of 4000K]				
Cap-Base Information	4P				



Product data					
Cap-Base	G24q-1				
Execution	/4P[4 Pins]				
Energy Efficiency Label (EEL)	В				
Mercury (Hg) Content[mg]	1.4				
Colour Rendering Index[Ra8]	82				
Colour Designation (text)	Cool White				
Colour Temperature[K]	4000				
Lamp Luminous Flux EM[Lm]	600				
Lamp Luminous Flux EL[Lm]	600				




MASTER PL- C/840



MASTER PL- C/840





2002-06-19: new lamp cap with no details

MASTER PL- C

	A	В	C	D	D1
Full produc t name	Max	Max	Max	Max	Max
MASTE R PL- C 10W/ 840/4P 1CT	75.7	94.0	108.9	27.1	27.1

