



MASTER PL- C 18W/ 840/2P 1CT

Product family description
Energy- saving compact fluorescent lamps
Compact long- arc low- pressure mercury
discharge lamp
Envelope consists of 4 parallel narrow
fluorescent tubes

Product Features

- 2- pin base with a housing incorporating the special instant starter and capacitor
- Lamp characteristics are influenced by operating conditions and control gear used
- Dimming is not possible

Product Benefits

- Optimal light performance for short or long operation per switch on
- Long life and sustainable light output

Environment

- Good environmental choice because of high energy efficiency, long life and low light output depreciation, lowest mercury content

- Compliant with all RoHS and WEEE requirements: the lamps have a very low content of mercury, are lead free and make no use of radioactive materials and hazardous flame retardants

Application

- Designed for general or supplementary lighting in professional or home environments
- Recessed or surface- mounted downlighters, wall units, table lamps and pendant lamps


System

- For use on conventional copper iron ballasts
- Radio interference suppression capacitor is installed


Product data

Order code	620934 70
Full product code	871150062093470
Full product name	MASTER PL- C 18W/840/2P 1CT
Order product name	MASTER PL- C 18W/840/2P 1CT/5X10BOX
Packing type	1 Lamp in a Folding Carton
Pieces per pack	1
Packing configuration	5X10BOX
Packs per outerbox	50
Bar code on pack - EAN1	8711500620934
Bar code on intermediate packing - EAN2	8711500621238
Bar code on outerbox - EAN3	8711500715784
Logistic code(s) - 12NC	9279 054 08480
ILCOS code	FSQ- 18/40/1B- I- G24d= 2
Net weight per piece	57.800 (GR)
Successor order code	
Rated Lamp Wattage[W]	18W
Colour Code	840 [CCT of 4000K]


Product data	
Cap- Base Information	2P
Cap- Base	G24d-2
Execution	/2P[2 Pins]
Energy Efficiency Label (EEL)	B
Mercury (Hg) Content[mg]	1.4
Colour Rendering Index[Ra8]	82
Colour Designation (text)	Cool White
Colour Temperature[K]	4000
Lamp Luminous Flux EM[Lm]	1200




MASTER PL- C/840



MASTER PL- C/840



MASTER PL- C



2002-06-19: new lamp cap with no details

MASTER PL-C

	A	B	C	D	D1
Full product name	Max	Max	Max	Max	Max
MASTER PL-C 18W/ 840/2P 1CT	109.7	128.0	150.4	27.1	27.1

