

MASTER PL-C 26W/ 830/4P 1CT

Product family description

Energy-saving compact fluorescent lamps

Compact long-arc low-pressure mercury discharge lamp

Envelope consists of 4 parallel narrow fluorescent tubes

Product Features

- 4-pin base without starter and capacitor
- · Lamp characteristics are influenced by operating conditions and control gear used
- Dimming is possible

Environment

- · Good environmental choice because of high energy efficiency, long life and low light output depreciation, lowest mercury content
- Compliant with all RoHS and WEEE requirements: the lamps have a very low content of mercury, are lead free and make no use of radioactive materials and hazardous flame retardants

Product Benefits

- Optimal light performance for short or long operation per switch on
- Long life and sustainable light output

Application

- Designed for general or supplementary lighting in professional or home environments
- · Recessed or surface-mounted downlighters, wall units, table lamps and pendant lamps

System

• Suitable for use with electronic gear, enabling controllable light output, HF operation and independence from the supply system


Product data					
Order code	623355 70				
Full product code	871150062335570				
Full product name	MASTER PL-C 26W/830/4P 1CT				
Order product name	MASTER PL-C 26W/830/4P 1CT/5X10BOX				
Packing type	1 Lamp in a Folding Carton				
Pieces per pack	1				
Packing configuration	5X10CC				
Packs per outerbox	50				



Product data					
Bar code on pack - EAN1	8711500623355				
Bar code on intermediate packing - EAN2	8711500624321				
Bar code on outerbox - EAN3	8711500716040				
Logistic code(s) - 12NC	9279 060 08380				
ILCOS code	FSQ-26/30/1B-E-G24q=3	FSQ-26/30/1B-E-G24q=3			
Net weight per piece	60.400 GR				
Cap-Base	G24q-3				
Execution	/4P [4 Pins]				
Rated Lamp Wattage	26W				
Dimmable	yes				
Energy Efficiency Label (EEL)	В				
Mercury (Hg) Content	1.4 mg				
Colour Code	830 [CCT of 3000K]				
Colour Rendering Index	82 Ra8				
Colour Designation	Warm white				
Colour Temperature	3000 K				
Lamp Luminous Flux EM	1800 Lm				
Lamp Luminous Flux EL	1800 Lm				




MASTER PL-C 26W



Cap-Base G24q-3








MASTER PL-C/830

Green Flagship Logo






MASTER PL-C

MASTER PL-C/830





2002-06-19: new lamp cap with no details MASTER PL-C

	А	В	С	D	D1
Full product name	Max	Max	Max	Max	Max
MASTE R PL-C 26W/ 830/4P 1CT	130.7	149.0	163.9	27.1	27.1

