



MASTER PL-S 11W/ 827/2P 1CT

Product family description
Energy-saving compact fluorescent lamps
Compact long-arc low-pressure mercury discharge lamp
Envelope consists of 2 parallel narrow fluorescent tubes

Product Features

- 2-pin base with a housing incorporating the special instant starter and capacitor
- Lamp characteristics are influenced by operating conditions and control gear used
- The lamps contain only 3 mg of mercury
- Dimming is not possible

Environment

- Good environmental choice because of high energy efficiency, long life and low light output depreciation, lowest mercury content
- Compliant with all RoHS and WEEE requirements: the lamps have a very low content of mercury, are lead free and make no use of hazardous flame retardants

Product Benefits

- Optimal light performance for short or long operation per switch on
- Long life and sustainable light output

Application

- Designed for use in hotels, restaurants, theatres and homes
- Suitable for use in signs, corridors, security and orientation lighting

System


- For use on conventional copper iron ballasts
- Radio interference suppression capacitor is installed

Product data	
Order code	261014 70
Full product code	871150026101470
locod	
Full product name	MASTER PL-S 11W/827/2P 1CT
Order product name	MASTER PL-S 11W/827/2P 1CT/5X10BOX
Packing type	1 Lamp in a Folding Carton

Product data	
Pieces per pack	1
Packing configuration	5X10CC
Packs per outerbox	50
Bar code on pack - EAN1	8711500261014
Bar code on intermediate packing - EAN2	8711500261021
Bar code on outerbox - EAN3	8711500261038
Logistic code(s) - 12NC	9279 364 82711
ILCOS code	FSD-11/27/1B-I-G23
Net weight per piece	43.000 GR
Successor order code	
Cap-Base	G23 [Two-Pin Compact Fluorescent; low preheat]
Execution	/2P [2 Pins]
Rated Lamp Wattage	11W
Dimmable	no
Energy Efficiency Label (EEL)	A
Mercury (Hg) Content	1.4 mg
Colour Code	827 [CCT of 2700K]
Colour Rendering Index	82 Ra8
Colour Designation	Incandescent White
Colour Temperature	2700 K
Lamp Luminous Flux EM	900 Lm




MASTER PL-S 11W




Cap-Base G23

no
image
available



MASTER PL-S/827



MASTER PL-S/827

