



# HORTI

## MASTER GreenPower CG T 600W E40 1SL

High Pressure Sodium lamp with clear outer bulb, optimized growthlight output and maintenance

### Product data

#### • General Characteristics

System Description	External Ignitor
Cap-Base	E40
Cap-Base Information	-
Bulb	T46 [T 46mm]
Bulb Finish	Clear
Operating Position	any [Any or Universal (U)]
Life to 5% failures	16000 hr
Life to 20% failures	24000 hr

#### • Light Technical Characteristics

Color Code	220 [CCT of 2000K]
Color Rendering Index	26 Ra8
Luminous Flux EM 25°C, Rated	88000 Lm
Lum Efficacy Rated EM 25°C	142.4 Lm/W
Photosynthetic Photon Flux PPF	1100 umol/s
PPF maintenance 2000h	100 %
PPF maintenance 5000h	98 %
PPF maintenance 10000h	96 %
PPF maintenance 12000h	95 %
Chromaticity Coordinate X	533 -
Chromaticity Coordinate Y	432 -

#### • Electrical Characteristics

Lamp Wattage	600 W
--------------	-------

Lamp Wattage EM 25°C, Nominal	600 W
Lamp Wattage EM 25°C, Rated	618 W
Voltage	230 V
Lamp Voltage	130 V
Lamp Current EM	6.3 A
Ignition Time	10 (max) s
Run-up time 90%	5 (max) min
Re-ignition Time [min]	1 (max) min
Dimmable	Yes

#### • Environmental Characteristics

Energy Efficiency Label (EEL)	A++
Mercury (Hg) Content	30 mg
Energy consumption kWh/1000h	618 kWh

#### • Luminaire Design Requirements

Cap-Base Temperature	250 (max) C
Bulb Temperature	450 (max) C

#### • Product Dimensions


Overall Length C	283 (max) mm
Diameter D	47 (max) mm
Light Center Length L	166 mm
Arc Length O	151 mm

**PHILIPS**

• Product Data


Order code	928158809227	Packs per outerbox	12
Full product code	928158809227	Bar code on pack - EAN1	8711500202024
Full product name	MASTER GreenPower CG T 600W E40 1SL	Bar code on outerbox - EAN3	8711500202031
Order product name	MASTER GreenPower CG T 600W E40 1SL/12	Logistic code(s) - 12NC	928158809227
Pieces per pack	1	ILCOS code	ST-600-H/S-E40
Packing configuration	12	Net weight per piece	182.000 kg

Dimensional drawing





MASTER GreenPower CG T 600W E40 1SL

Product	A (Min)	A (Norm)	A (Max)	C (Max)	D (Max)	L (Norm)	O (Norm)
SON GreenPower CG T 600W E40	-	-	-	283	47	166	151



E40

Photometric data





© 2013 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2013, August 3  
data subject to change