

TUV PL-L

TUV PL-L 60W/4P HO 1CT

TUV PL-L lamps are compact UVC (germicidal) lamps used in professional water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-L lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

Product data

• General Characteristics

System Description	-
Cap-Base	2G11
Cap-Base Information	4 Pins
Bulb	2xT16
Execution	-
Main Application	Disinfection
Useful Life	9000 hr

• Light Technical Characteristics

Color Code	TUV
Color Designation	-
(text)	

• Electrical Characteristics

Lamp Wattage Lamp Wattage Tech-	60 W 67 W
nical Lamp Voltage	84 V
Lamp Current	0.800 A

• UV-related Characteristics

UV-C Radiation 19.0 W

Dimensional drawing

Product Dimensions

Base Face to Base Face A Insertion Length B Overall Length C Diameter D Diameter D1

390 (max) mm

415 (max) mm 420 (max) mm 38 (max) mm 18 (max) mm


104.000 gr

• Product Data

Order code Full product code Full product name Order product name Pieces per pack Packing configuration Packs per outerbox Bar code on pack -EAN1 Bar code on outerbox - EAN3 Logistic code(s) -12NC Net weight per piece 927909004007 927909004007 TUV PL-L 60W/4P HO 1CT TUV PL-L 60W/4P HO 1CT/25 1 25 25 8711500710345 8711500710352 927909004007




Dimensional drawing




TUV	PL-L	60W	

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-L 60VV/4P HO	390	415	420	38	18



2G11

Photometric data





 $\ensuremath{\textcircled{}^{\circ}}$ 2013 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting