

MASTER LEDbulb

MASTER LEDbulb D 7-40W E27 827 A60

The MASTER LEDbulb range delivers a dimmable glow effect for a welcoming, warm atmosphere, making it ideal for general lighting applications in the hospitality industry. Its unique design radiates warm light in all directions, making it a true alternative to the incandescentlamp. They are particularly suitable for public areas such as lobbies, corridors, stairwells, where the light is always on. Compatible with existing fixtures with an E27 holder and designed for retrofit replacement of incandescent bulbs, MASTER LEDbulb delivers huge energy savings and minimizes maintenance cost without any compromise on light quality.They can be used together with most leading-edge dimmers, enabling further efficiencies while helping to create the desired atmosphere.





Product data

General Characteristics Cap-Base Bulb Rated Lifetime (bayers)	E27 A60 [A 60mm] 25000 hr	Rated Wattage Starting Time Suitable for accent lighting	7.0 W 0.5 s No			
(hours) Rated Lifetime	15 an	Environmental characteristics				
(years) Nominal Lifetime hours	25000 hr	Energy Efficiency Label (EEL)	Α			
• Light Technical Charac	taristics	Measuring Conditions				
Color Code	827	Switching cycle	50000×			
Color Designation (text)	text) • Product Dime Correlated Color 2700 K Overall Lengt Temperature Diameter D	• Product Dimensions				
Temperature		Overall Length C Diameter D	109.6 mm 61.5 mm			
Luminous Flux Color rendering	or rendering 80					
index Color Temperature Rated Luminous Flux LLMF - end nominal lifetime Colour consistency Rated Beam Angle	2700 K [CCT 2700K] 470 Lm 25000 % 6 steps 310 D	 Product Data Order code Full product code Full product name Order product name Pieces per pack Packing configuration 	929000247902 929000247902 MASTER LEDbulb D 7-40W E27 827 A60 MAS LEDbulb D 7-40W E27 827 A60 1 6			
• Electrical Characteristic	CS	Packs per outerbox	6			
Wattage Wattage Technical Voltage Line Frequency Power Factor Lamp Current mA Dimmable Wattage Equivalent	7 W 7 W 220-240 V 50-60 Hz 0.7 - 44 mA Yes 40 W	Bar code on pack - EAN1 Bar code on outerbox - EAN3 Logistic code(s) - 12NC Net weight per piece	8718291671961 8718291671978 929000247902 0.134 kg			

Warnings and Safety

- Operating temperature range is between -20° C and 45° C ambient
- Dimensional drawing


MASTER LEDbulb D 7-40W E27 827 A60

	Product	C (Norm)	C1 (Max)	D (Norm)	D1 (Norm)
LED D 7-40W E27 827 A60		109.6	-	61.5	-

• Only to apply in dry or damp locations and most of open fixtures

with lamp-holders that offer sufficient space (10 mm free air space) • Not intended for use with emergency light fixtures or exit lights

Dimensional drawing



E27



© 2013 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting