

PureBronze Suntanning - Low Pressure 0.3 Range

PBC 100W 0.7 R

0001169



Range features

- Responding to the recent European Directive which calls for a maximum effective irradiance of 0.3 W/m² in the sunbed, Sylvania has developed a comprehensive range of retrofit tubes which allow you to bring equipment in line with the new regulations. By optimal balance of the UV-A and UV-B ratios, tanning times are maintained as short as possible. From the three product ranges TopLine, PerformanceLine and ClassicLine, Sylvania can offer a tube to meet the performance and budgetary requirements of the entire spectrum from professional salon to domestic user.
-
- CLASSICLINE: for the beginner
- Comprehensive product range from 15W to 180W
- Closed glass tube limits the deeper UV wavelengths
- Available with and without internal reflector
- The starter series for both home use and smaller salons
- Lower cost tube suitable for the beginner
- Guaranteed UV output for 600 hours life
-
- PERFORMANCELINE : for immediate tanning
- Increased power tubes from 80W to 160W
- Professional quality open glass tube lets out the important UV wavelengths
- Ideal choice for professional studios
- High levels of direct pigmentation are achieved thanks to the open glass
- Guaranteed UV output for 600 hours life
-
- TOPLINE : for the professional
- Ultimate output of 100W to 250W for reduced tanning times
- Professional quality open glass tube lets out the important UV wavelengths
- Top performance choice for professional studios
- DirectTan technology for instant visual results
- PurePower models deliver up to 30% more direct pigmentation
- Guaranteed UV output for industry-leading 1000 hours life
- Sylvania LongLife technology delivers low cost of ownership for professional salons
-
- Directions For Use
- Always consider the type of equipment and your skin type when using Sylvania tanning tubes



PureBronze Suntanning - Low Pressure 0.3 Range

PBC 100W 0.7 R

0001169

PRODUCT OVERVIEW

Ordering number	0001169
Lamp finish	Coated-Reflector
Dimmable	Yes
Cap/Base	G13
Type	SLP
EAN code	5410288011691
Colour temperature (K)	0
Luminous flux (Rated) (lm)	0
Watt (Nominal) (W)	100
Voltage (V)	0

PureBronze Suntanning - Low Pressure 0.3 Range

PBC 100W 0.7 R

0001169

DATA TABLE

General data

Ordering number	0001169
Average life (Nominal) (h)	600
Lamp finish	Coated-Reflector
Dimmable	Yes
Cap/Base	G13
Type	SLP
EAN code	5410288011691

Long description

Responding to the recent European Directive which calls for a maximum effective irradiance of 0.3 W/m² in the sunbed, Sylvania has developed a comprehensive range of retrofit tubes which allow you to bring equipment in line with the new regulations. By optimal balance of the UV-A and UV-B ratios, tanning times are maintained as short as possible. From the three product ranges TopLine, PerformanceLine and ClassicLine, Sylvania can offer a tube to meet the performance and budgetary requirements of the entire spectrum from professional salon to domestic user. . . CLASSICLINE: for the beginner . Comprehensive product range from 15W to 180W . Closed glass tube limits the deeper UV wavelengths . Available with and without internal reflector . The starter series for both home use and smaller salons . Lower cost tube suitable for the beginner . Guaranteed UV output for 600 hours life . . PERFORMANCELINE : for immediate tanning . Increased power tubes from 80W to 160W . Professional quality open glass tube lets out the important UV wavelengths . Ideal choice for professional studios . High levels of direct pigmentation are achieved thanks to the open glass . Guaranteed UV output for 600 hours life . . TOPLINE : for the professional . Ultimate output of 100W to 250W for reduced tanning times . Professional quality open glass tube lets out the important UV wavelengths . Top performance choice for professional studios . DirectTan technology for instant visual results . PurePower models deliver up to 30% more direct pigmentation . Guaranteed UV output for industry-leading 1000 hours life . Sylvania LongLife technology delivers low cost of ownership for professional salons . . Directions For Use . Always consider the type of equipment and your skin type when using Sylvania tanning tubes

Product name	PBC 100W 0.7 R
Control gear required	Yes
Special purpose lamp	Yes
Sales pack quantity	25

Optical data

Colour temperature (K)	0
Luminous flux (Rated) (lm)	0

Electrical data

Watt (Rated) (W)	100
Watt (Nominal) (W)	100
Voltage (V)	0
Current (A)	0

PureBronze Suntanning - Low Pressure 0.3 Range

PBC 100W 0.7 R

0001169

Physical data

Weight (kg)	0.41
Length base to base (mm) - A	1763.8
Length base to pin Min-Max - B	1768.5-1770.9
Lamp Length (mm) - C/L	1778
Lamp Diameter (mm) - D	38

PureBronze Suntanning - Low Pressure 0.3 Range

PBC 100W 0.7 R

0001169

TECHNICAL DRAWINGS

