

Product Datasheet Date: 23/09/2012

# Tungsten Halogen Lamp for air field lighRHA 200W/8,33A/R7S

## Logistic Data

Article No.	24413713
Code	RHA 200W/8,33A/R7S
Product EAN	4008597137136
Customs tariff no.	85392198
Box quantitiy (pcs.)	25
EAN Box	4008597413438
Gross weight of box in kg	0.475
Length of box in m	0.18
Width of box in m	0.18
Height of box in m	0.13
Pieces per palett	9000
EAN Palett	4008597613432
ETIM Class	EC001958
ETIM class name	Airfield lighting lamp



#### **Electric Parameters**

Lamp nominal wattage	200 W
Rated wattage	200.0 W
Nominal current (A)	8.33

#### **Light Application Parameters**

Luminous flux	4400 lm
Luminous efficiency	22 Im/W
Colour rendering index Ra	100

### Service Life

Mean service life 1000 h

### **Specification**

Diameter max.	14 mm
Length max.	65.6 mm
Contact distance	60.2
Base	R7s
Dimension a max.	9.5

#### **Notes on Operation**

Burning	position
Durning	position

p15

### Miscellaneous

ILCOS name

HDA-200-8,33A-R7s



#### Notes:

Halogen lamps for airfield lighting double based.



#### Notes

#### Base



R7s IEC/EN 60061-1 sheet 7004-92A-4

#### Spectrum

daylight(D 65)

#### **Special features**



Halogen-Special lamp for airfield lighting.

#### **General notes**

The technical design data in accordance with DIN and IEC. The producer does not take any responsibility for damage to persons or property in case of unsuitable operation or handling of the product. Operating data and dimensions are valid within the usual tolerances. Related lamp types (different bases, mains voltages) may be available on request. Sale and delivery are effected in accordance with the Radium Terms of Delivery and Payment valid on the day of conclusion of contract. Packing units offer economical advantages to the purchase and logistic department. Please match your quantity volume accordingly. For orders of a minimum quantity (clefts) with a lamp model the amount lower than the volume of each packaging unit, we will invoice 10 % additional charge per lamp type. Technical changes and terms of delivery are reserved. Manipulation of any kind to packaging or product is not permissible as this will violate Radium brand rights. Furthermore, technical properties of the product can change to its disadvantage or even destruction. Therefore, Radium cannot be responsible for consequential damages. Subject to change without notice. Errors and omissions excepted. (R) = Registered trademark

All technical data without guarantee.