

## RUBYSTAR 2000 W 235 V-0028 S

---

RUBYSTAR | Infrared halogen lamps



---

### Areas of application

---

- For use in professional indoor and outdoor infrared heating systems
- For use in special systems in automobile paint shops for drying paint

---

### Product benefits

---

- Predominantly emits the desired thermal radiation
- Effectively reduces the visible light component
- High efficiency
- Long lamp life
- Short response time

# Product datasheet

---

## Technical data

---

### Electrical data


Nominal wattage	2000.00 W
Nominal voltage	235 V
Lamp current	8.50000 A
Construction voltage	235 V
Rated wattage	2 kW

### Light technical data

Color temperature	2350 K
-------------------	--------

### Dimensions & weight

---



---

### Product line drawing

Diameter	10.0 mm
Length	351.0 mm
Filament length	280.00 mm
Cable length	300.0 mm

### Lifespan

Lifespan	5000 h
----------	--------

### Additional product data

Base (standard designation)	K9x15/21
Connector: Presence	Yes

### Capabilities

---

## Product datasheet

<b>Burning position</b>	Any
<b>Fuse, quick-acting</b>	10.0 A

## Product datasheet

---

### Logistical Data

---

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4008321196675	RUBYSTAR 2000 W 235 V-0028 S	Folding carton box 1	44 mm x 35 mm x 495 mm	0.76 dm <sup>3</sup>	114.33 g
4008321196682	RUBYSTAR 2000 W 235 V-0028 S	Shipping carton box 12	171 mm x 119 mm x 520 mm	10.58 dm <sup>3</sup>	1537.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

---

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.