



MASTER SON-T PIA Plus

MASTER SON-T PIA Plus 250W/220 E40 1SL

High Pressure Sodium lamp with clear tubular outer bulb, high output and long reliable lifetime

Product data

• General Characteristics

System Description	External Ignitor
Cap-Base	E40
Cap-Base Information	45
Bulb	T46 [T 46mm]
Bulb Finish	Clear
Operating Position	any [Any or Universal (U)]
Life to 5% failures	17000 hr
Life to 10% failures	21000 hr
Life to 20% failures	26000 hr
Life to 50% failures	36000 hr
LSF EM 20000h	91 %
Rated,12h cycle	
LSF EM 16000h	96 %
Rated,12h cycle	
LSF EM 12000h	98 %
Rated,12h cycle	
LSF EM 8000h Rated, 12h cycle	99 %
LSF EM 6000h Rated, 12h cycle	99 %
LSF EM 4000h Rated, 12h cycle	99 %
LSF EM 2000h Rated, 12h cycle	100 %

• Light Technical Characteristics

Color Code	220 [CCT of 2000K]
Color Rendering Index	25 (max) Ra8
Color Temperature	2000 K
Color Temperature	2000 K
Technical Chromaticity Coordinate X	530 -

Chromaticity Coordinate Y	420 -
Luminance Average EM	470 cd/cm ²
Lum Efficacy Rated EM 25°C	130 Lm/W
LLMF EM 20000h Rated	94 %
LLMF EM 16000h Rated	95 %
LLMF EM 12000h Rated	96 %
LLMF EM 8000h Rated	96 %
LLMF EM 6000h Rated	97 %
LLMF EM 4000h Rated	98 %
LLMF EM 2000h Rated	99 %
Luminous Flux EM 25°C, Rated	33300 Lm

• Electrical Characteristics

Lamp Wattage	250 W
Voltage	230 V
Lamp Voltage	100 V
Lamp Current EM	3 A
Ignition Time	10 (max) s
Run-up time 90%	5 (max) min
Dimmable	Yes
Re-ignition Time [sec]	120 (max) s
Lamp Wattage EM 25°C, Rated	250 W

PHILIPS

sense and simplicity

MASTER SON-T PIA Plus

Lamp Wattage EM 250 W
25°C, Nominal

Overall Length C 11.125 (max) in
[inch]
Diameter D [inch] 1.75 in

• Environmental Characteristics

Mercury (Hg) Content 15 mg

• Product Data

Order code 928144709203
Full product code 928144709203
Full product name MASTER SON-T PIA Plus 250W/220 E40 1SL
Order product name MST SON-T PIA Plus 250W/220 E40 1SL/12
Pieces per pack 1
Packing configuration 12
Packs per outerbox 12
Bar code on pack - EAN1 8711500179876
Bar code on outerbox - EAN3 8711500182937
Logistic code(s) - 12NC 928144709203
ILCOS code ST-250-H/E-E40
Net weight per piece 0.170 kg

• Luminaire Design Requirements

Cap-Base Temperature 250 (max) C
Bulb Temperature 450 (max) C



• Product Dimensions

Overall Length C 257 (max) mm
Diameter D 48 (max) mm
Light Center Length L 158 mm
Arc Length O 64 mm
Light Center Length L [inch] 6.875 in

Warnings and Safety

- Control gear must include end-of-life protection (IEC60662, IEC 62035)

Dimensional drawing




E40


SON-T PIA Plus, E39/E40

Product	C (Max)	D (Max)	L (Norm)	O (Norm)
SON-T Plus 250W/220 E40	257	48	158	64

Photometric data



MASTER SON-T PIA Plus 100W, 150W & 250W



MASTER SON-T PIA Plus 100W, 150W, 250W



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, December 21
data subject to change