

PAR 56 Mains Voltage

PAR 56 300W MFL 240V

0060514



Range features

- Pressed glass reflector lamps
- Beam patterns: from very narrow spot through wide angle floods
- Consistency from lamp to lamp
- Instant replaceability without the need to re-focus and re-aim fixtures
- Applications
 - Theatre lighting
 - TV and studio
 - Entertainment and Architectural applications
 - Displays
 - Museums
 - Churches
 - Towers
 - Exhibitions
 - Gardens
 - Discos
 - Directions for use
 - Easy handling
- Can be used with very economical fixtures (PAR cans)



PRODUCT OVERVIEW

Ordering number	0060514
Cap/Base	GX16d
Type	PAR 56
EAN code	5410288605142
Beam angle (°)	Medium Flood
Colour temperature (K)	2750
Watt (Nominal) (W)	300
Voltage (V)	240

PAR 56 Mains Voltage

PAR 56 300W MFL 240V

0060514

DATA TABLE

General data

Ordering number	0060514
Average life (Nominal) (h)	2000
Cap/Base	GX16d
Type	PAR 56
EAN code	54 10288605142
Long description	Pressed glass reflector lamps. Beam patterns: from very narrow spot through wide angle floods. Consistency from lamp to lamp. Instant replaceability without the need to re-focus and re-aim fixtures. Applications. Theatre lighting. TV and studio. Entertainment and Architectural applications. Displays. Museums. Churches. Towers. Exhibitions. Gardens. Discos. Directions for use. Easy handling. Can be used with very economical fixtures (PAR cans)
Product name	PAR 56 300W MFL 240V
Burning position	Any
Sales pack quantity	12

Optical data

Beam angle (°)	Medium Flood
Colour temperature (K)	2750
Peak intensity (cd)	30000

Electrical data

Watt (Nominal) (W)	300
Watt (Rated) (W)	300
Voltage (V)	240

Physical data

Weight (kg)	0.47
Lamp Length (mm) - C/L	127
Lamp Diameter (mm) - D	178.6

PAR 56 Mains Voltage

PAR 56 300W MFL 240V

0060514

TECHNICAL DRAWINGS

